



NOTICE OF LANDSCAPE APPLICATION

Date of Application: May 1, 2025

Location: Treetop Park

Reason for Application: Fertilize fescue turf to provide uniform growth with extended nitrogen feeding.

Product Manufacturer Name: Yara Turf Royale 21-7-14

-Active ingredients: N/A

-Precautionary statement: Causes serious eye irritation.

*See attached label and SDS sheet

*Dates are subject to change due to weather

TURF ROYALE™ 21-7-14


THE VIKING SHIP® BRAND IS A REGISTERED TRADEMARK OF YARA INTERNATIONAL ASA



TURF ROYALE™ 21-7-14




TURF ROYALE® 21-7-14



21-7-14

50 lbs/
22.7 kg

TURF ROYALE™ 21-7-14



TURF ROYALE™ 21-7-14



50 LBS. NET WT. (22.7 kg)



VIKING SHIP® BRAND
21-7-14
PROFESSIONAL TURF AND
LANDSCAPE FERTILIZER
A Turf Fertilizer for All Seasons

CHAMPIONSHIP QUALITY PRILLED FERTILIZER FOR
PROFESSIONAL TURF AND LANDSCAPE MANAGERS:
• 3-1-2 Ratio with Sulfur • Dust Free • Homogenous Prills
• Chlorine Free • Easy to Apply • Accurate Calibration

Guaranteed Analysis

Total Nitrogen (N).....21%
11.1% Ammoniacal Nitrogen
9.9% Nitrate Nitrogen
Available Phosphate (P_2O_5).....7%
Soluble Potash (K_2O).....14%
Sulfur (S).....5.1%
5.1% Combined Sulfur(S)

Derived from Ammonium Nitrate, Monoammonium Phosphate,
Diammonium Phosphate and Sulfate of Potash.

Guaranteed by:
Yara North America, Inc.
100 North Tampa Street, Suite 3200
Tampa, FL 33602
For Yara International ASA, Norway

Use in accordance with recommendations of a qualified individual
or institution, such as, but not limited to, a certified crop advisor,
agronomist, university crop extension publication, or apply
according to recommendations in your approved nutrient
management plan.

FOUR SEASON RESPONSE:

- Nitrate nitrogen for fast greening in cool weather.
- Ammonium nitrogen for supplemental feeding.
- High water solubility phosphate for vigorous new growth.
- Sulfate of potash for maintenance of vigorous turf in high traffic areas and to aid in turf resistance to disease and weather stress.

Advantages for the Landscape Professional

1. Viking Ship® Turf Royale 21-7-14 is a homogenous prilled dust
free fertilizer, with the proper 3-1-2 ratio of $N_1P_2O_5$ and K_2O to
meet the demands of established turf and ornamental feeding.

2. Viking Ship® Turf Royale 21-7-14 is a high analysis fertilizer
(47.1% plant nutrients). It contains two types of nitrogen:
Nitrate for quick response and ammonium nitrogen for
supplemental feeding.

3. Viking Ship® Turf Royale 21-7-14 prills are free flowing for
even application and accurate calibration.

Suggestions for Use

1. Apply when foliage is dry and soil moist.
2. Apply with well maintained equipment for even distribution
and optimum results.
3. Water immediately after application to wash foliage.

Turfgrass

Preplant: Prior to seeding, plugging, or laying of sod, broadcast
6 pounds of Viking Ship® Turf Royale per 1,000 square feet and
cultivate into topsoil. After planting, irrigate to keep moist until
the turf is established.

Coverage: 8,300 sq. ft./50 lb bag.

Established Turf: Broadcast 5 pounds of Viking Ship® Turf
Royale per 1,000 square feet. Apply irrigation to dissolve
fertilizer and incorporate into turfgrass rooting zone.

Coverage: 10,000 sq. ft./50 lb bag.

Overseeding: Broadcast 4 pounds of Viking Ship® Turf Royale
per 1,000 square feet. Water in immediately after seeding.

Broadleaf Groundcover

At the beginning of the growing season and again halfway
through, broadcast 4-5 pounds of Viking Ship® Turf Royale per
1,000 square feet. Wash any fertilizer prills off the foliage
immediately to prevent spotting.

Established Trees & Shrubs

Shrubs and Evergreens: Sprinkle 1 cup of Viking Ship® Turf
Royale 21-7-14 evenly around the drip line and work into the top
1" of soil. Water thoroughly.

Excellent for use in Landscaped areas

Turf Royale supplies nitrogen, phosphate and potash in the low
salt sulfate form. Annuals or perennial ornamentals, trees,
shrubs, ground covers and bedding plants all can benefit from the
3-1-2 ratio.

Information regarding the contents and levels of
metals in this product is available on the internet at
<http://www.aapfco.org/metals.htm>

Warning: This product contains a chemical (or chemicals)
known to the State of California to cause cancer and birth
defects or other reproductive harm.

Yara offers a
wide spectrum of
fertilizer products.
For higher
quality, yield
and profits,
use Yara.



Nitrates



NK/NPKs



Commodities



Potassium Sulfate

Also available from Yara:

- Slow Release
- Micronutrients

Questions/Information

Customer Service:
800-234-9376

Visit our website
www.yara.us



Yara Specialties
Growing Your Potential



Conforms: GHS (rev 6) (2015)

(This Safety Data Sheet conforms to the requirements of the Hazard Communication Standard (HCS)
(29 CFR 1910.1200(g)), revised in 2012.) - United States

Date of issue/ Date of revision : 05/20/2020
Date of previous issue : 08/24/2018
Version : 2.0



SAFETY DATA SHEET

Turf Royale 21-7-14

Section 1. Identification

GHS product identifier : Turf Royale 21-7-14
Product type : Solid (prills)
Product code : PH981P

Uses

Area of application : Industrial applications, Professional applications

Supplier

Supplier's details : Yara North America, Inc.

Address

Street : 100 North Tampa Street, Suite 3200
Postal code : 33602
City : TAMPA
Country : United States

Telephone number : +1 813 222 5700
Fax no. : +1 813 875 5735
e-mail address of person : yna-hesq@yara.com
responsible for this SDS

Emergency telephone number : US: Chemtrec 24-hours Emergency Response: 1-800-424-9300
(with hours of operation) Canada: 24 Hour Emergency Service, Canutec 613-996-6666

National advisory body/Poison Center

Name : The National Poisons Emergency number
Telephone number : 1 800 222 1222

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture. : EYE IRRITATION - Category 2A

GHS label elements

Hazard pictograms

:



Signal word

:

Warning

Hazard statements

:

H319

Causes serious eye irritation.

Precautionary statements

Prevention

:

P280-a

Wear eye protection.

P264-a

Wash hands thoroughly after handling.

Response

:

P305

IF IN EYES:

P351

Rinse cautiously with water for several minutes.

P338

Remove contact lenses, if present and easy to do. Continue rinsing.

P337

If eye irritation persists:

P313-a

Get medical attention.

Hazards not otherwise classified

:

Product forms slippery surface when combined with water.

Section 3. Composition/information on ingredients

Substance/mixture

:

Mixture

Ingredient name	CAS number	%
Ammonium nitrate	6484-52-2	>= 45- <50
Nitric acid potassium salt	7757-79-1	>= 7- <10

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Date of issue : 05/20/2020

Page:2/19

- | | | |
|---------------------|---|---|
| Eye contact | : | Rinse with plenty of running water. Check for and remove any contact lenses. If irritation persists, get medical attention. |
| Inhalation | : | If inhaled, remove to fresh air. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Skin contact | : | Wash with soap and water. Get medical attention if irritation develops. |
| Ingestion | : | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. |

Most important symptoms/effects, acute and delayed**Potential acute health effects**

- | | | |
|---------------------|---|--|
| Eye contact | : | Causes serious eye irritation. |
| Inhalation | : | Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. |
| Skin contact | : | No known significant effects or critical hazards. |
| Ingestion | : | Irritating to mouth, throat and stomach. |

Over-exposure signs/symptoms

- | | | |
|---------------------|---|---|
| Eye contact | : | Adverse symptoms may include the following: pain or irritation, watering, redness |
| Inhalation | : | No specific data. |
| Skin contact | : | No specific data. |
| Ingestion | : | No specific data. |

Indication of immediate medical attention and special treatment needed, if necessary

- | | | |
|-----------------------------------|---|---|
| Notes to physician | : | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Specific treatments | : | No specific treatment. |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- | | | |
|---------------------------------------|---|---|
| Suitable extinguishing media | : | Use flooding quantities of water for extinction. |
| Unsuitable extinguishing media | : | Do NOT use chemical extinguisher or foam or attempt to smother the fire with steam or sand. |

Specific hazards arising from the chemical	: The product itself is not combustible but it can support combustion, even in absence of air. On heating it melts and further heating can cause decomposition, releasing toxic fumes containing nitrogen oxides and ammonia.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: nitrogen oxides, sulfur oxides, phosphorus oxides, halogenated compounds, metal oxide/oxides, ammonia, Avoid breathing dusts, vapors or fumes from burning materials., In case of inhalation of decomposition products in a fire, symptoms may be delayed.
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Remark	: Non-flammable.
Remark	: Non-explosive.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Personal precautions, protective equipment and emergency procedures	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution

(sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- | | |
|--------------------|---|
| Small spill | : Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

Precautions for safe handling

Not for human or animal consumption.

- | | |
|---|--|
| Precautions for safe handling | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. See also Section 8 for additional information on hygiene measures. |
| Protective measures | : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |

- Conditions for safe storage, including any incompatibilities** :
- Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep away from: organic materials, oil and grease.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Ammonium nitrate	None.
Nitric acid potassium salt	None.

- Appropriate engineering controls** :
- Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** :
- Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** :
- A washing facility or water for eye and skin cleaning purposes should be present. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.
- Eye/face protection** :
- Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
- Recommended:** Tightly-fitting goggles,

Skin protection

- Hand protection** :
- Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** :
- Personal protective equipment for the body should be selected based on the task being performed and the risks involved.

Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Personal protective equipment (Pictograms)	:	 

Section 9. Physical and chemical properties

Appearance

Physical state	:	Solid [prills]
Color	:	Gray.,
Odor	:	Odorless.
Odor threshold	:	Not determined.
pH	:	4.5 [Conc.: 100 g/l]
Melting/freezing point	:	Decomposes: 160 °C (320 °F)
Boiling/condensation point	:	Not determined.
Sublimation temperature	:	Not determined.
Flash point	:	Not determined.
Evaporation rate	:	Not determined.
Flammability (solid, gas)	:	Non-flammable.
Lower and upper explosive (flammable) limits	:	Lower: Not determined. Upper: Not determined.
Vapor pressure	:	Not determined.
Bulk density	:	1,000 kg/m ³
Relative density	:	Not determined.
Solubility	:	Soluble in the following materials: cold water
Partition coefficient: n-octanol/water	:	Not determined.
Auto-ignition temperature	:	Not determined.
Decomposition temperature	:	160 °C (320 °F)
Viscosity	:	Dynamic: Not determined.

Explosive properties : Kinematic: Not determined.
 Oxidizing properties : Non-explosive.
 : None

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : Avoid contamination by any source including metals, dust and organic materials.

Incompatible materials : alkalis combustible materials, reducing materials, organic materials, Acids

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Method	Species	Result	Exposure	References
Nitric acid potassium salt					
	LD50 Oral	Rat	2,000 - 5,000 mg/kg	Not applicable.	CSR
	LD50 Dermal	Rat	> 5,000 mg/kg	Not applicable.	CSR
Ammonium nitrate					
	OECD 401 LD50 Oral	Rat	2,950 mg/kg	Not applicable.	CSR
	OECD 402 LD50 Dermal	Rat	> 5,000 mg/kg	Not applicable.	CSR

Conclusion/Summary : No known significant effects or critical hazards.

Irritation/Corrosion

Product/ingredient name	Method	Species	Result	Exposure	References
-------------------------	--------	---------	--------	----------	------------

Nitric acid potassium salt					
	OECD 404 Skin	Rabbit	Non-irritating.		IUCLID 5
Ammonium nitrate					
	OECD 405 Eyes	Rabbit	Irritant		CSR

Conclusion/Summary

Skin : No known significant effects or critical hazards.

Eyes : Causes serious eye irritation.

Respiratory : No known significant effects or critical hazards.

Sensitization

Product/ingredient name	Method	Species	Result	References
Ammonium nitrate				
	OECD 429 Skin	Mouse	Not sensitizing	

Conclusion/Summary

Skin : No known significant effects or critical hazards.

Respiratory : No known significant effects or critical hazards.

Mutagenicity

Product/ingredient name	Method	Test detail	Result	References
Ammonium nitrate				
	OECD 473	Mammalian Toxicity - Genotoxicity - In vitro Mammalian Chromosome Aberration Test or Mammalian Bone Marrow Chromosomal Abberation Test or Mammalian Erythrocyte Micronucleus Test In vitro	Negative	CSR
	OECD 471	Bacteria	Negative	IUCLID

In vitro

Conclusion/Summary : No known significant effects or critical hazards.

Carcinogenicity

Classification

Product/ingredient name	OSHA	IARC	NTP
Nitric acid potassium salt	Not applicable.	2A	Not applicable.

Conclusion/Summary : No known significant effects or critical hazards.

Reproductive toxicity

Product/ingredient name	Method	Species	Result	Exposure	References
Ammonium nitrate					
	OECD 422 Oral	Rat	Fertility effects- Negative Developmental- Negative NOAEL > 1500 mg/kg bw/day	28 days	CSR

Conclusion/Summary : No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

No known significant effects or critical hazards.

Specific target organ toxicity (repeated exposure)

No known significant effects or critical hazards.

Aspiration hazard

No known significant effects or critical hazards.

Information on the likely routes of exposure: : Not available.

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : Irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following: pain or irritation, watering, redness
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure**Short term exposure**

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Long term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Potential chronic health effects

Product/ingredient name	Method	Species	Result	Exposure	References
Ammonium nitrate					
	OECD 422 Chronic NOAEL Oral	Rat	256 mg/kg	28 days	CSR
	OECD 412 Sub-acute NOEC Inhalation	Rat	> 185 mg/m ³	2 weeks 5 hours per day	CSR

- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Fertility effects** : No known significant effects or critical hazards.
- Developmental effects** : No known significant effects or critical hazards.
- Effects on or via lactation** : No known significant effects or critical hazards.
- Other effects** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following: pain or irritation, watering, redness
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Numerical measures of toxicity**Acute toxicity estimates**

Route	ATE value
Oral	5,162.1 mg/kg

Section 12. Ecological information**Toxicity**

Product/ingredient name	Method	Species	Result	Exposure	References
Nitric acid potassium salt					
	OECD 203 Acute LC50 Fresh water	Fish	> 100 mg/l	96 h	CSR
	Acute EC50 Fresh water	Daphnia	490 mg/l	48 h	CSR
	Acute EC50 Fresh water	Algae	> 1,700 mg/l	240 h	CSR
Ammonium nitrate					
	Acute LC50 Fresh water	Fish	447 mg/l	48 h	CSR
	Acute EC50 Fresh water	Daphnia	490 mg/l	48 h	CSR
	Acute EC50 Salt water	Algae	1,700 mg/l	10 d	CSR

Conclusion/Summary : No known significant effects or critical hazards.

Persistence and degradability

Conclusion/Summary : No known significant effects or critical hazards.

Bioaccumulative potential

Conclusion/Summary : No known significant effects or critical hazards.

Mobility in soil

Soil/water partition coefficient (KOC) : Not available.

Mobility : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Product**Methods of disposal**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Regulation: UN Class

14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.

Additional information

Environmental hazards : No.

Regulation: IMDG

14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.

Additional information

Marine pollutant : No.

--

Regulation: IATA	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	
<u>Marine pollutant</u>	: No.

Regulation: DOT Classification	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	
<u>Marine pollutant</u>	: Not available.

Regulation: TDG Class	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	
Not applicable.	
<u>Environmental hazards</u>	: No.

14.6 Special precautions for user : Transport within user's premises: Ensure that persons transporting the product know what to do in the event of an accident or spillage.

IMSBC

Bulk cargo shipping name : AMMONIUM NITRATE BASED FERTILIZER (non-

Date of issue : 05/20/2020

Page:14/19

Class : hazardous)
 Group : Not applicable.
 Marpol V : C
 : Non-HME
 Transport in bulk according to Annex II of MARPOL and the IBC Code : Not applicable.

Section 15. Regulatory information

United States

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : EYE IRRITATION - Category 2A

Composition/information on ingredients

Name	%	Classification
Nitric acid potassium salt	>= 7 - < 10	Fire hazard - Delayed (chronic) health hazard Fire hazard

Ammonium nitrate	>= 45 - < 50	Fire hazard - Immediate (acute) health hazard EYE IRRITATION - Category 2A OXIDIZING SOLIDS - Category 3
------------------	--------------	--

SARA 313**Form R - Reporting requirements**

Product name	CAS number	%
Phosphoric acid, ammonium salt (1:2)	7783-28-0	>= 1 - < 2
Phosphoric acid, ammonium salt (1:1)	7722-76-1	>= 3 - < 5
Sulfuric acid ammonium salt (1:2)	7783-20-2	>= 7 - < 10
Nitric acid potassium salt	7757-79-1	>= 7 - < 10
Ammonium nitrate	6484-52-2	>= 45 - < 50

Supplier notification

Product name	CAS number	%
Phosphoric acid, ammonium salt (1:2)	7783-28-0	>= 1 - < 2
Phosphoric acid, ammonium salt (1:1)	7722-76-1	>= 3 - < 5
Sulfuric acid ammonium salt (1:2)	7783-20-2	>= 7 - < 10
Nitric acid potassium salt	7757-79-1	>= 7 - < 10
Ammonium nitrate	6484-52-2	>= 45 - < 50

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations**Massachusetts**

: None of the components are listed.

New York

: None of the components are listed.

New Jersey: The following components are listed:
Ammonium nitrate
Nitric acid potassium salt
Calcium fluoride (CaF₂)**Pennsylvania**: The following components are listed:
Sulfuric acid ammonium salt (1:2)
Nitric acid potassium salt
Ammonium nitrate**California Prop. 65**

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

Inventory list

Date of issue : 05/20/2020

Page:16/19

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Korea inventory: All components are listed or exempted.

Australia inventory (AICS): All components are listed or exempted.

Canada inventory: All components are listed or exempted.

United States inventory (TSCA 8b): All components are listed or exempted.

EC INVENTORY (EINECS/ELINCS): All components are listed or exempted.

Canada: All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on MSDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.


The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Chronic toxicity:

- : No data available.

* : Carcinogen, Target organs, Reproductive effects, Sensitizer to lungs

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire,

health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

Classification	Justification
EYE IRRITATION - Category 2A	Calculation method

History

Date of printing : 05/24/2021
 Date of issue/Date of revision : 05/20/2020
 Date of previous issue : 08/24/2018
 Revision comments : The following sections contain new and updated information: 2, 3, 8, 11.

Version : 2.0
 Prepared by : Yara Chemical Compliance (YCC).
 Key to abbreviations : ATE = Acute Toxicity Estimate
 BCF = Bioconcentration Factor
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC = Intermediate Bulk Container
 IMDG = International Maritime Dangerous Goods
 LogPow = logarithm of the octanol/water partition coefficient
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 SGG = Segregation Group
 UN = United Nations
 Key data sources : EU REACH ECHA/IUCLID5 CSR.
 National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical Substances.
 Sphera Solutions Inc., 4777 Levy Street, St Laurent, Quebec HAR 2P9, Canada.

|| Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the

accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.