



**PARK  
WEST**

**Shaping  
Your  
Environment**

## **Notice of Weed Control Application**

**Date of Application: August 31<sup>st</sup> to September 1<sup>st</sup>**

**Location – Trails park**

**Reason for application – Kahaki weed in turf and others**

**Product Manufacturer Name – Speedzone**

**EPA # 2217-1053**

**Active ingredient : 2,4 -D Ethylhexyl ester – Mecoprop -p DMA salt – Dicamba, DMA salt  
Carfentrazone – ethyl**

**Caution – Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.**

CLICK HERE TO JUMP TO USE DIRECTIONS



# Speed Zone®

BROADLEAF HERBICIDE FOR TURF

## ACTIVE INGREDIENTS:

|                           |        |
|---------------------------|--------|
| Carfentrazone-ethyl       | 0.62%  |
| 2,4-D, 2-ethylhexyl ester | 28.57% |
| Mecoprop-p acid           | 5.88%  |
| Dicamba acid              | 1.71%  |

|                    |         |
|--------------------|---------|
| INERT INGREDIENTS: | 63.22%  |
| TOTAL              | 100.00% |

## THIS PRODUCT CONTAINS:

0.05 lb. Ethyl  $\alpha$ ,2-dichloro-5-[4(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoate per gallon or 0.62%.  
1.53 lbs. 2,4-dichlorophenoxyacetic acid equivalent per gallon or 18.95%.  
0.48 lb. (+)-R-2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 5.88%.  
0.14 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 1.71%.  
Contains petroleum distillates, xylene or xylene range aromatic solvent.  
Isomer Specific by AOAC Methods.

## KEEP OUT OF REACH OF CHILDREN

# CAUTION

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See below for First Aid and additional Precautionary Statement.



**READ THE ENTIRE LABEL FIRST.  
OBSERVE ALL PRECAUTIONS AND  
FOLLOW DIRECTIONS CAREFULLY.**

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

**CAUTION:** Causes moderate eye irritation. Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

### PERSONAL PROTECTIVE EQUIPMENT:

Some materials that are chemical resistant to this product are listed below. If you want more options, follow the instructions for category E on a EPA chemical resistance category selection chart.

### NON-WPS USES:

Applicators and other handlers who handle this pesticide for any use NOT covered by the Worker Protection Standard (40 CFR Part 170) – in general, only agricultural-plant uses are covered by the WPS – must wear the following:

- When mixing, loading or applying this product, wear long-sleeved shirt, long pants, socks, shoes, and chemical-resistant gloves.

**Personal Hygiene Statement For Non-WPS Uses:** After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower.

### Engineering Control Statements For Non-WPS Uses:

**Containers over 1 gallon and less than 5 gallons:** Persons engaged in open pouring of this product must also wear coveralls or a chemical resistant apron.

**Containers of 5 gallons or more:** Do not open-pour from this container. A mechanical system (such as probe and pump or spigot) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

### WPS USES:

Applicators and other handlers who handle this pesticide for any uses covered by the Worker Protection Standard (40 CFR Part 170) – in general agricultural-plant uses are covered – must wear the following:

- long-sleeved shirt and long pants.
- chemical resistant gloves such as barrier laminate, nitrile rubber, neoprene rubber or Viton gloves.
- shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. After each day of use, clothing or PPE must not be reused until it has been cleaned.

### Engineering Control Statements For WPS Uses:

**Containers over 1 gallon and less than 5 gallons:** Mixers and loaders who do not use a mechanical system (probe and pump) to transfer the contents of this container must wear coveralls or a chemical-resistant apron in addition to the other required PPE.

**Containers of 5 or more gallons:** Do not open-pour product from this container. A mechanical system (such as a probe and pump or spigot) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal. If the mechanical system is used in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4)], the handler PPE requirements may be reduced or modified as specified in the WPS.

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

### User Safety Recommendations:

#### Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

## FIRST AID

|                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>If swallowed:</b>                                                                                                                                                                                 | <ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Do not induce vomiting unless told to by a poison control center or doctor.</li><li>• Do not give any liquid to the person.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul> |
| <b>If in eyes:</b>                                                                                                                                                                                   | <ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>                                              |
| <b>If on skin:</b>                                                                                                                                                                                   | <ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>                                                                                                  |
| <b>If inhaled:</b>                                                                                                                                                                                   | <ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>                                        |
| Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment information. |                                                                                                                                                                                                                                                                                                                                    |
| <b>NOTE TO PHYSICIAN:</b> Contains petroleum distillates – vomiting may cause aspiration pneumonia.                                                                                                  |                                                                                                                                                                                                                                                                                                                                    |

## ENVIRONMENTAL HAZARDS:

Carfentrazone is very toxic to algae and moderately toxic to fish. This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater. When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D and MCPP-p have been associated with mixing, loading and disposal sites. Caution should be exercised when handling 2,4-D and MCPP-p pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

## AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170.

This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours.

For early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear:

- coveralls over long-sleeved shirt and long pants.
- chemical resistant gloves such as barrier laminate, nitrile rubber, neoprene rubber or Viton gloves.
- shoes plus socks.

## Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

**Reentry Statement:** Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

## PRODUCT DESCRIPTION:

SpeedZone® Broadleaf Herbicide for Turf (SpeedZone) contains four active ingredients including carfentrazone-ethyl that broaden the spectrum of weed control. Carfentrazone-ethyl is in the aryl triazolinone family and inhibits protoporphyrinogen oxidase (Protox), a pivotal enzyme in chlorophyll production.

SpeedZone offers these advantages:

- Excellent postemergent activity with proven performance for broadleaf weed control in turfgrass.
- Superior cool weather performance.
- High selectivity (turfgrass safety) in established cool-season turfgrass and warm-season turfgrass.
- Good toxicological, environmental, and ecological properties compared to the standards.

- Carfentrazone-ethyl combinations provide rapid and effective weed control for common and troublesome weed species in turfgrass, e.g. spurge, pennywort (dollarweed), dandelion, and white clover.
- Fast acting with evidence of injury within hours. The speed of action (rate of phytotoxicity) and the early injury symptoms are unique features of carfentrazone-ethyl combinations. Generally, the injury symptoms can be noticed within hours of the application and plant death can occur within 7-14 days.

## SPRAY PREPARATION AND TANK MIXTURES:

SpeedZone is an emulsifiable concentrate intended for dilution with water. In certain applications, liquid fertilizer may replace part of the water as a diluent.

### Water as diluent:

Add one-half the required amount of water to the spray tank, then add SpeedZone slowly with agitation, and complete filling the tank with water. To prevent separation of the emulsion, mix thoroughly and continue agitation while spraying.

This product forms an emulsion and can separate upon extended or prolonged standing. Re-agitate to assure uniformity of the spray mixture.

Do not use tank additives that alter the pH of the spray solution below pH 5 or above pH 8. Buffer the spray solution to alter the pH range as appropriate.

### Liquid fertilizers as diluents:

Use suitable sources and rates of fertilizer based upon local recommendations. Refer to the mixing directions on the labels of the liquid fertilizers (eg. UAN or urea solutions). Always perform a jar compatibility test before large scale mixing.

## GROUND EQUIPMENT:

Power sprayers fitted with a boom or spray wand/gun may be used for broadcast applications and spot treatments. For best spray distribution and coverage, select a spray volume and delivery system that will ensure accurate and uniform coverage. Boom sprayers equipped with appropriate flat fan nozzles, tips, and screens are suitable for broadcast applications. Do not use flood nozzles, Raindrop®, or nozzle tips larger than 8008. Spray droplets larger than 400 microns may reduce coverage and subsequent loss in weed control.

Spray volumes of 3-175 gallons per acre with spray pressures adjusted to 20-40 psi are appropriate. Use higher spray volumes for dense weed populations.

Hand operated sprayers including backpack sprayers, compression sprayers, and knapsack sprayers are appropriate for small turfgrass areas when power equipment is unavailable, uneconomical, or impractical.

This product may cause injury to susceptible/nontarget plants at the use site by contacting the foliage, stems, or roots. To prevent injury to susceptible crops and other desirable broadleaf plants including but not limited to cotton, legumes, tobacco, tomatoes, garden/vegetable crops, and ornamentals (flowers, trees, and shrubs) avoid contact with the spray solution, spray droplets, and spray mist (fine droplets). Applications are recommended only when there is no potential hazard from spray drift during dormant and active growth periods. Do not apply when conditions are conducive to spray drift from the use site to untreated areas.

After using this product, clean sprayer with soap or detergent and water, or an approved spray tank cleaner and rinse thoroughly before applying other pesticides.

## WHERE TO USE:

SpeedZone provides selective broadleaf control in warm-season and cool-season turfgrass in five (5) use sites.

- *Institutional sites* are defined as turf areas around properties or facilities providing a service to public or private organizations including, but not limited to hospitals, nursing homes, schools, museums, libraries, sport facilities, golf courses (fairways, aprons, and roughs), and office buildings.
- *Ornamental sites* include turfgrass established around residences, parks, streets, retail outlets, cemeteries, industrial and institutional buildings, recreation areas, fairgrounds, and areas adjacent to athletic fields.
- *Residential/domestic sites* are defined as areas associated with the household or home life including, but not limited to apartment complexes, condominiums, and patient care areas of nursing homes, mental institutions, hospitals, or convalescent homes.
- *Agricultural site:* Commercial sod production.



- **Noncropland Sites:** Highway rights-of-way (principal, interstate, county, private, and unpaved roads): Roadsides, roadside ditches, road shoulders, road embankments, dividers, and medians. Municipal, state, and federal lands: Airports and military installations.

#### Prohibitions of Sites:

- Do not apply to any body of water such as lakes, streams, rivers, ponds, reservoirs, or estuaries (salt water bays). Do not apply to any shorelines (noncropland sites adjacent to the edges of a body of water) for lakes, streams, rivers, ponds, reservoirs, or estuaries (salt water bays).
- Do not apply to wetlands (swamps, bogs, potholes, or marshes).
- Do not apply to agricultural irrigation water or on agricultural irrigation ditchbanks and canals.
- Do not apply to agricultural drainage water or on agricultural ditchbanks.

#### Turfgrass tolerance:

- The turfgrass tolerance to SpeedZone may vary and temporary turfgrass yellowing may occur on certain varieties (F1) hybrids of hybrid bermudagrass. Environmental conditions and certain spray tank additives (e.g. adjuvants, wetting agents, surfactants), liquid fertilizers, and tank mixtures containing other emulsifiable concentrates may reduce the selectivity on the turfgrass.

These cool-season and warm-season turfgrass species may be treated:

#### Cool-Season Turf

Kentucky bluegrass, Annual bluegrass, Annual ryegrass, Perennial ryegrass, Tall fescue, Red or fine leaf fescues, Creeping and Colonial bentgrass (excluding golf greens) and mixtures of cool-season species in noncropland areas established for roadside vegetation management or for low maintenance. (Kentucky bluegrass, tall fescue, smooth bromeagrass, and orchardgrass).

#### Warm-Season Turf

Common bermudagrass, Hybrid bermudagrass and Zoysiagrass.

#### Prohibitions:

- Do not apply this product to bentgrass greens, carpetgrass, dichondra, legumes, and lawns where desirable clovers are present.

#### APPLICATION SCHEDULES:

Early postemergent applications of SpeedZone are recommended for annual, biennial, and perennial weeds. Apply SpeedZone to broadleaf weeds that are young and actively growing for the best results. SpeedZone combines a contact herbicide with systemic herbicides and provides little or no residual activity at recommended use rates.

SpeedZone may be applied as a single broadcast application or as split/sequential broadcast applications in the spring, summer, or fall. Spring and fall treatments under adequate soil moisture conditions are preferred to the summer treatments. Generally, summer broadcast applications to older, drought stressed weeds are less effective.

Sequential broadcast applications or follow-up applications as spot treatments at a 2-6 week interval are recommended for more mature weeds, for dense infestations, and for adverse environmental conditions.

Spot treatments during the summer may be appropriate for sparse infestations, or as a follow-up treatment anytime broadleaf weeds are susceptible. Apply on a spray-to-wet basis for the best results.

Extremes in environmental conditions e.g. temperature and moisture, soil conditions, and cultural practices may affect the activity of SpeedZone. Under warm moist conditions, herbicide symptoms may be accelerated. While under very dry conditions, the expression of herbicide symptoms is delayed, and weeds hardened off by drought are less susceptible to SpeedZone.

#### For newly seeded areas:

The application of SpeedZone to grass seedlings is recommended after the second mowing.

#### For newly sodded, sprigged, or plugged areas:

The application of SpeedZone to newly sodded, sprigged, or plugged grasses should be delayed until 3 to 4 weeks after the sodding, sprigging, or plugging operations.

#### For dormant turf:

Applications to dormant bermudagrass and dormant zoysiagrass are suggested.

#### Prohibitions for application schedules:

- Do not broadcast apply when air temperatures exceed 90°F; some injury may be expected with spot treatments when air temperatures exceed 90°F.

#### HOW MUCH TO USE: USE RATES AND SPRAY VOLUMES FOR TURFGRASS:

Generally, the lower application rates within the specified range will provide satisfactory control of sensitive weed species. The higher application rates within the specified range will be required for dense infestations of perennial weeds, for adverse/extreme environmental conditions, or for weeds beyond the appropriate growth stages.

The maximum application rate to turf is 1.0 pound 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

The maximum seasonal rate of carfentrazone-ethyl contained in this product with two (2) broadcast applications to turfgrass is 0.062 pounds of carfentrazone-ethyl per acre per season. The retreatment interval for sequential broadcast applications of this product on turfgrass is two (2) to six (6) weeks depending upon the growth stages of the target weeds.

Use rates and spray volumes of SpeedZone as a broadcast treatment for use on turfgrass are presented in Table 1.

**TABLE 1. RATE RECOMMENDATIONS FOR SOD FARMS, ORNAMENTAL LAWNS AND TURFGRASS.**

| Species                                                                                                                                                                                           | Amount of Product, Pints/Acre | Spray Volume, Gallons/Acre | Amount of Product, fl. oz./1,000 sq. ft. | Spray Volume, Gallons per 1,000 sq. ft. |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|----------------------------|------------------------------------------|-----------------------------------------|
| <b>COOL-SEASON TURF</b>                                                                                                                                                                           |                               |                            |                                          |                                         |
| Kentucky bluegrass, Annual bluegrass, Annual ryegrass, Perennial ryegrass, Tall fescue, Red or fine leaf fescues, Creeping and Colonial bentgrass (excluding golf greens).                        | 3.0 - 5.0                     | 3 - 175                    | 1.1 - 1.8                                | 0.1 - 4.0                               |
| Mixtures of cool-season species established for aesthetic purposes.                                                                                                                               | 3.0 - 5.0                     | 3 - 175                    | 1.1 - 1.8                                | 0.1 - 4.0                               |
| Mixtures of cool-season species in noncropland areas established for roadside vegetation management or for low maintenance. (Kentucky bluegrass, tall fescue, smooth bromeagrass & orchardgrass.) | 3.0 - 5.0                     | 3 - 175                    | 1.1 - 1.8                                | 0.1 - 4.0                               |
| <b>WARM-SEASON TURF</b>                                                                                                                                                                           |                               |                            |                                          |                                         |
| Common bermudagrass, Hybrid bermudagrass and Zoysiagrass.                                                                                                                                         | 2 - 4                         | 3 - 175                    | 0.75 - 1.5                               | 0.1 - 4.0                               |
| <b>NOTE:</b> Maximum control of weeds will be obtained with early to mid-spring or mid to late fall applications. Higher rates, listed above, should be used in warmer temperatures (above 70°F). |                               |                            |                                          |                                         |

#### SPOT TREATMENTS WITH HAND OPERATED SPRAYERS (INCLUDING BACKPACK SPRAYERS, COMPRESSION SPRAYERS, AND KNAPSACK SPRAYERS):

- For cool-season turfgrass, mix 1.1-1.8 fl. oz. of SpeedZone per one (1.0) gallon of water for treatment of approximately 1,000 sq. ft. of turfgrass. Apply any time the emerged broadleaf weeds are susceptible. Spray the target weeds thoroughly and wet the entire leaf surface of the undesirable plants.
- For warm-season turfgrass, mix 0.75-1.5 fl. oz. of SpeedZone per one (1.0) gallon of water for treatment of approximately 1,000 sq. ft. of turfgrass. Apply any time the emerged broadleaf weeds are susceptible. Spray the target weeds thoroughly and wet the entire leaf surface of the undesirable plants.

SpeedZone may be tank mixed with other herbicides EPA-registered for use on turfgrass to broaden the weed control spectrum compared to the products alone. These tank mixtures must be used according to the most restrictive label limitations and precautions. No label dosage rate should be exceeded. Follow the labeling of each companion product for precautionary statements, directions for use, dosage rates, and application schedules. Tank mixture recommendations are for use only in states where the companion products and application site are registered.

#### CULTURAL TIPS FOR IMPROVED CONTROL:

##### Irrigation:

- Do not apply this product through any type of irrigation system.
- Do not apply this product immediately before rainfall or irrigation.
- Rainfast period: Rainfall or irrigation occurring within 3-4 hours after application of this product may reduce the effectiveness.

#### Mowing:

- Delay mowing 1 to 2 days before and after the application of this product.

#### Reseeding interval:

- Treated areas may be reseeded 2 weeks after application.

#### BROADLEAF WEEDS CONTROLLED:

SpeedZone will control or suppress the following broadleaf weeds and will control or suppress other broadleaf weeds that are susceptible to 2,4-D.

#### BROADLEAF WEEDS

|                                       |                                 |                          |
|---------------------------------------|---------------------------------|--------------------------|
| Annual fleabane                       | Field oxeye-daisy               | Poison ivy               |
| Aster, white heath<br>& white prairie | (*creeping oxeye)               | Poison oak               |
| Bedstraw                              | Field pennycress                | Prostrate knotweed       |
| Beggarticks                           | Filaree, whitestem<br>& redstem | (*knotweed)              |
| Beggarweed, creeping                  | Florida pusley                  | Puncturevine             |
| Bindweed                              | Ground ivy                      | Purple cudweed           |
| Birdsfoot trefoil                     | Groundsel                       | Purslane                 |
| Black medic                           | Hairy bittercress               | Ragweed                  |
| Broadleaf plantain                    | Hawkweed                        | Redweed                  |
| Buckhorn plantain                     | Healall                         | Red sorrel               |
| Bull thistle                          | Henbit                          | (*sheep sorrel)          |
| Burclover                             | Horsenettle                     | Roundleaf greenbriar     |
| Burdock, common                       | Horseweed                       | Shepherdspurse           |
| Buttercup, creeping                   | Innocence                       | Spotted spurge           |
| Carolina geranium                     | (Blue-eyed Mary)                | Spurge                   |
| Carpetweed                            | Jimsonweed                      | Star-of-Bethlehem        |
| Chickweed, common                     | Kochia                          | Sunflower                |
| Chicory                               | Lambsquarters                   | Thisle                   |
| Cinquefoil                            | Lawn burweed                    | Velvetleaf (*buttonweed) |
| Clover                                | Lespedeza, common               | Venice mallow            |
| Cocklebur                             | Mallow, common                  | Veronica                 |
| Common mullein                        | Matchweed                       | (*corn speedwell)        |
| Compassplant                          | Mouseear chickweed              | Virginia buttonweed      |
| Curly dock                            | Mustard                         | Virginia-creeper         |
| Dandelion                             | Nettle                          | Western salsify          |
| Dayflower                             | Old world                       | White clover (*Dutch     |
| Deadnettle                            | diamond flower                  | clover, honeysuckle      |
| Dock                                  | Oxalis                          | clover, white trefoil,   |
| Dogfennel                             | (*yellow woodsorrel             | & purplewort)            |
| Dovefoot geranium                     | & creeping woodsorrel)          | Wild carrot              |
| English daisy                         | Parsley-piert                   | Wild garlic              |
| False dandelion                       | Pennsylvania                    | Wild geranium            |
| (*spotted catsear                     | smartweed                       | Wild lettuce             |
| & common catsear)                     | Pennywort (*dollarweed)         | Wild mustard             |
| Field bindweed                        | Pepperweed                      | Wild onion               |
| (*morningglory                        | Pigweed                         | Wild strawberry          |
| & creeping jenny)                     | Pineappleweed                   | Wild violet              |
| Field madder                          | Plantain                        | Yarrow                   |
|                                       |                                 | Yellow rocket            |

\*Synonyms

#### PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED.

This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

PROFORM®, SPEED-ZONE® and TRIMEC® are registered trademarks of PBI/Gordon Corporation.

654 AP010606  
EPA REG. NO. 2217-833

Manufactured By  
  
An Employee-Owned Company  
1217 West 12th Street  
Kansas City, Missouri 64101  
[www.pbigordon.com](http://www.pbigordon.com)

#### STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** For Metal Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

For Plastic Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities by burning. If burned stay out of smoke.

#### LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

**THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A**

Issue Date 27-May-2020

Revision Date 02-Jun-2020

Version 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier.

**Product Name** SpeedZone® EW Broadleaf Herbicide for Turf

### Other means of identification

**Product Code** PBI FP 658

**EPA Pesticide Registration Number** 2217-1053

### Recommended use of the chemical and restrictions on use

**Recommended Use** Herbicide

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### Supplier Address

PBI-Gordon Corporation  
P.O. Box 860350  
Shawnee, KS 66286

#### Company Name

PBI-Gordon Corporation  
P.O. Box 860350  
Shawnee, KS 66286

#### Manufacturer

PBI-Gordon Corporation  
P.O. Box 860350  
Shawnee, KS 66286

### Emergency telephone number

**24 Hour Emergency Phone Number** Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|                                   |             |
|-----------------------------------|-------------|
| Acute Oral Toxicity               | Category 4  |
| Serious eye damage/eye irritation | Category 2B |
| Skin Sensitization                | Category 1  |
| Acute Aquatic Toxicity            | Category 1  |
| Chronic Aquatic Toxicity          | Category 1  |

### Label elements

### Emergency Overview

#### Signal word

Warning

#### Hazard statements

- Harmful if swallowed
- Causes eye irritation
- May cause an allergic skin reaction
- Very toxic to aquatic life with long lasting effects



**Appearance** Liquid

**Physical state** Liquid

**Odor** Sweet

### Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Contaminated work clothing must not be allowed out of the workplace  
Wear protective gloves

**Precautionary Statements - Response**

IF ON SKIN: Wash with plenty of soap and water  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention  
If skin irritation or rash occurs: Get medical advice/attention  
Wash contaminated clothing before reuse  
IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell  
Rinse mouth

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Have the product label with you when calling a poison control center or doctor or going in for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

**Other information**

Not applicable.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Substance**

Not applicable.

**Mixture**

| Chemical name             | CAS-No       | Weight-% |
|---------------------------|--------------|----------|
| 2,4-D, 2-ethylhexyl ester | 1928-43-4    | 25.86    |
| MCP-P Dimethylamine Salt  | 66423-09-4   | 6.84     |
| Dimethylamine dicamba     | 2300-66-5    | 1.91     |
| Carfentrazone-ethyl       | 128639-02-1  | 0.57     |
| Trade Secret              | Trade secret | 0 - 10%  |

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES**

**Description of first aid measures**

|                       |                                                                                                                                                               |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General advice</b> | If symptoms persist, call a physician. Show this safety data sheet to the doctor in attendance.                                                               |
| <b>Eye contact</b>    | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. If symptoms persist, call a physician.                        |
| <b>Skin contact</b>   | Wash with soap and water. In the case of skin irritation or allergic reactions see a physician.                                                               |
| <b>Inhalation</b>     | Remove to fresh air.                                                                                                                                          |
| <b>Ingestion</b>      | Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. |

**Most important symptoms and effects, both acute and delayed**

|                 |                          |
|-----------------|--------------------------|
| <b>Symptoms</b> | No information available |
|-----------------|--------------------------|

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** May cause sensitization in susceptible persons. Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** No information available.

**Specific hazards arising from the chemical** Product is or contains a sensitizer. May cause sensitization by skin contact.

**Explosion data**

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** None.

**Special protective equipment for fire-fighters** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional ecological information Avoid release to the environment Collect spillage Dispose of contents/container to an approved waste disposal plant

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Keep out of the reach of children. Keep from freezing.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Limits**

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------|-----------|----------|------------|
|---------------|-----------|----------|------------|



|                                        |                                                          |                                                                                                          |                                                           |
|----------------------------------------|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| 2,4-D, 2-ethylhexyl ester<br>1928-43-4 | TWA: 10 mg/m <sup>3</sup> inhalable fraction<br>S*       | TWA: 10 mg/m <sup>3</sup>                                                                                | IDLH: 100 mg/m <sup>3</sup> , TWA: 10 mg/m <sup>3</sup>   |
| Carfentrazone-ethyl<br>128639-02-1     | TWA: 1 mg/m <sup>3</sup> inhalable particulate<br>matter | -                                                                                                        | -                                                         |
| Trade Secret                           | STEL: 15 ppm<br>TWA: 5 ppm                               | TWA: 10 ppm<br>TWA: 18 mg/m <sup>3</sup><br>(vacated) TWA: 10 ppm<br>(vacated) TWA: 18 mg/m <sup>3</sup> | IDLH: 500 ppm<br>TWA: 10 ppm<br>TWA: 18 mg/m <sup>3</sup> |

#### Appropriate engineering controls

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Hand protection** Chemical resistant gloves.

**Skin and body protection** Wear long-sleeved shirt, long pants, socks and shoes.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

**Physical state** Liquid  
**Appearance** Liquid  
**Color** White  
**Odor** Sweet  
**Odor threshold** No information available

| <u>Property</u>                      | <u>Values</u>     | <u>Remarks • Method</u> |
|--------------------------------------|-------------------|-------------------------|
| <b>pH</b>                            | 6-8               |                         |
| <b>Melting point/freezing point</b>  |                   | None known              |
| <b>Boiling point / boiling range</b> |                   | None known              |
| <b>Flash point</b>                   | No data available |                         |
| <b>Evaporation rate</b>              | > 96 °C / 205 °F  |                         |
| <b>Flammability (solid, gas)</b>     | No data available | None known              |
| <b>Flammability Limit in Air</b>     | No data available | None known              |
| <b>Upper flammability limit:</b>     | No data available |                         |
| <b>Lower flammability limit:</b>     | No data available |                         |
| <b>Vapor pressure</b>                | No data available | None known              |
| <b>Vapor density</b>                 | No data available | None known              |
| <b>Specific Gravity</b>              | 1.051             |                         |
| <b>Water solubility</b>              | Emulsifiable      |                         |
| <b>Solubility in other solvents</b>  | No data available | None known              |
| <b>Partition coefficient</b>         | No data available | None known              |
| <b>Autoignition temperature</b>      | No data available | None known              |
| <b>Decomposition temperature</b>     | No data available | None known              |

#### Other Information

**Liquid Density** 8.75 pounds/gallon  
**Bulk density** No information available

## 10. STABILITY AND REACTIVITY

### Reactivity

No information available.

### Stability

Stable under recommended storage conditions

### Possibility of hazardous reactions

None under normal processing.

### Conditions to avoid

Keep out of reach of children.

### Incompatible materials

None known based on information supplied.

### Hazardous decomposition products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

|              |                                                                   |
|--------------|-------------------------------------------------------------------|
| Inhalation   | Specific test data for the substance or mixture is not available. |
| Eye contact  | Causes eye irritation.                                            |
| Skin contact | May be harmful in contact with skin.                              |
| Ingestion    | Harmful if swallowed.                                             |

#### Component Information

| Chemical name                          | Oral LD50                                 | Dermal LD50                                 | Inhalation LC50         |
|----------------------------------------|-------------------------------------------|---------------------------------------------|-------------------------|
| 2,4-D, 2-ethylhexyl ester<br>1928-43-4 | = 300 mg/kg ( Rat )                       | > 2000 mg/kg ( Rabbit )                     | > 5.4 mg/L ( Rat ) 4 h  |
| Dimethylamine dicamba<br>2300-66-5     | = 1267 mg/kg ( Rat ) = 2629 mg/kg ( Rat ) | > 2 g/kg ( Rabbit ) > 2000 mg/kg ( Rabbit ) | -                       |
| Carfentrazone-ethyl<br>128639-02-1     | = 5143 mg/kg ( Rat )                      | > 4000 mg/kg ( Rat )                        | = 5.09 mg/L ( Rat ) 4 h |
| Trade Secret                           | = 698 mg/kg ( Rat )                       | = 3900 mg/kg ( Rat )                        | = 4540 ppm ( Rat ) 6 h  |

### Symptoms related to the physical, chemical and toxicological characteristics

|          |                           |
|----------|---------------------------|
| Symptoms | No information available. |
|----------|---------------------------|

### Acute toxicity

#### Numerical measures of toxicity - Product Information

##### Unknown Toxicity

42 % of the mixture consists of ingredient(s) of unknown toxicity

|                        |                            |
|------------------------|----------------------------|
| LD50 Oral              | = 1750 mg/kg (female rats) |
| LD50 Dermal            | > 5000 mg/kg (rat)         |
| LC50 Inhalation (DUST) | > 2.17 mg/L (rat)          |

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin corrosion/irritation** Slightly irritating to the skin.

**Serious eye damage/eye irritation** Causes eye irritation.

**Respiratory or skin sensitization** May cause sensitization by skin contact.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** The International Agency for Research on Cancer (IARC) lists chlorophenoxy herbicides in its Group 2B (limited evidence for Carcinogenicity in humans.) The US EPA has given the chlorophenoxy Herbicides 2,4-D, 2,4-DP, MCPP, and MCPA a Class D classification (not classifiable as to human carcinogenicity.) More current 2,4-D lifetime feeding studies in rats and mice did not show carcinogenic effects and a recent World Health Organization (WHO) review of 2,4-D toxicology has concluded that 2,4-D is not a carcinogen.

| Chemical name                           | ACGIH | IARC     | NTP | OSHA |
|-----------------------------------------|-------|----------|-----|------|
| 2,4-D, 2-ethylhexyl ester<br>1928-43-4  | -     | Group 2B | -   | X    |
| MCPP-p Dimethylamine Salt<br>66423-09-4 | -     | Group 2B | -   | -    |

**Legend**

**IARC (International Agency for Research on Cancer)**

*Group 2B - Possibly Carcinogenic to Humans*

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

| Chemical name                          | Algae/aquatic plants                                                                                                          | Fish                                                                                                                                                                                                                                                                          | Toxicity to microorganisms | Crustacea                                    |
|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------------------------------|
| 2,4-D, 2-ethylhexyl ester<br>1928-43-4 | 30: 120 h<br>Pseudokirchneriella<br>subcapitata mg/L EC50 30:<br>120 h Pseudokirchneriella<br>subcapitata mg/L EC50<br>static | 7.8: 96 h Oncorhynchus<br>mykiss mg/L LC50 static<br>11.5: 96 h Lepomis<br>macrochirus mg/L LC50<br>static 6 - 8.7: 96 h<br>Oncorhynchus mykiss mg/L<br>LC50 flow-through                                                                                                     | -                          | -                                            |
| Trade Secret                           | 9: 96 h Pseudokirchneriella<br>subcapitata mg/L EC50                                                                          | 210: 96 h Poecilia reticulata<br>mg/L LC50 static 111 - 125:<br>96 h Oncorhynchus mykiss<br>mg/L LC50 120: 96 h<br>Oncorhynchus mykiss mg/L<br>LC50 static 127 - 349: 96 h<br>Poecilia reticulata mg/L<br>LC50 semi-static 396: 96 h<br>Brachydanio rerio mg/L<br>LC50 static | EC50 = 26.8 mg/L 15 min    | 88.7: 48 h Daphnia magna<br>Straus mg/L EC50 |

**Persistence and degradability** No information available.

**Bioaccumulation** No information available.

Other adverse effects No information available.

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Waste from residues/unused products** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse empty containers.

### 14. TRANSPORT INFORMATION

**Note:** Products under 44 gallons not regulated by DOT. Below are designations for products over 44 gallons. See RQ

#### DOT

|                                 |                                                                                                                   |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>UN/ID no.</b>                | UN3082                                                                                                            |
| <b>Proper shipping name</b>     | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.                                                               |
| <b>Hazard class</b>             | 9                                                                                                                 |
| <b>Packing group</b>            | III                                                                                                               |
| <b>Reportable Quantity (RQ)</b> | 2,4-D, 2-ethylhexyl ester: RQ (lb)= 387.00=44 gallons                                                             |
| <b>Special Provisions</b>       | 8, 146, 173, 335, IB3, T4, TP1, TP29                                                                              |
| <b>Description</b>              | UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D, 2-ethylhexyl ester), 9, III, Marine pollutant |

#### TDG

|                             |                                                                                                 |
|-----------------------------|-------------------------------------------------------------------------------------------------|
| <b>UN/ID no.</b>            | UN3082                                                                                          |
| <b>Proper shipping name</b> | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.                                             |
| <b>Hazard class</b>         | 9                                                                                               |
| <b>Packing group</b>        | III                                                                                             |
| <b>Description</b>          | UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D, 2-ethylhexyl ester), 9, III |

#### MEX

|                             |                                                                                                 |
|-----------------------------|-------------------------------------------------------------------------------------------------|
| <b>UN/ID no.</b>            | UN3082                                                                                          |
| <b>Proper shipping name</b> | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.                                             |
| <b>Hazard class</b>         | 9                                                                                               |
| <b>Special Provisions</b>   | 274, 331, 335                                                                                   |
| <b>Packing group</b>        | III                                                                                             |
| <b>Description</b>          | UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D, 2-ethylhexyl ester), 9, III |

#### ICAO (air)

|                             |                                                                                                 |
|-----------------------------|-------------------------------------------------------------------------------------------------|
| <b>UN/ID no.</b>            | UN3082                                                                                          |
| <b>Proper shipping name</b> | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.                                             |
| <b>Hazard class</b>         | 9                                                                                               |
| <b>Packing group</b>        | III                                                                                             |
| <b>Special Provisions</b>   | A97, A158, A197                                                                                 |
| <b>Description</b>          | UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D, 2-ethylhexyl ester), 9, III |

#### IATA

|                                   |                                                                                                         |
|-----------------------------------|---------------------------------------------------------------------------------------------------------|
|                                   | Limited quantity applies with an inner packaging less than 5 L or gross package weight less than 30 kg. |
| <b>UN number</b>                  | UN3082                                                                                                  |
| <b>UN proper shipping name</b>    | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.                                                     |
| <b>Transport hazard class(es)</b> | 9                                                                                                       |
| <b>Packing group</b>              | III                                                                                                     |
| <b>Special Provisions</b>         | A97, A158, A197                                                                                         |
| <b>Description</b>                | UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D,                                     |



2-ethylhexyl ester), 9, III

**IMDG**

Limited quantity applies with an inner packaging less than 5 L or gross package weight less than 30 kg.  
**UN number** UN3082  
**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
**Transport hazard class(es)** 9  
**Packing group** III  
**EmS-No.** F-A, S-F  
**Special Provisions** 274, 335, 969  
**Description** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D, 2-ETHYLHEXYL ESTER), 9, III, MARINE POLLUTANT

## 15. REGULATORY INFORMATION

### U.S. EPA Label Information

**EPA Pesticide Registration Number** 2217-1053

### **Federal Insecticide, Fungicide, Rodenticide Act Regulations**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

### EPA Pesticide Label

#### Caution

Keep out of reach of children

Hazards to Humans and Domestic Animals. CAUTION: Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Environmental Hazards: This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate. 2,4-D and Mecoprop-p have properties and characteristics associated with chemicals detected in groundwater. The use of these chemicals in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater. Fish Advisory Statement: This product may be hazardous to aquatic organisms, particularly in clear, shallow water bodies that are adjacent to treated areas. Transport to water by runoff or spray drift of this product in areas where surface water is present, or intertidal areas below the mean high water mark, should be avoided. Do not contaminate water when disposing of equipment wash water or rinsate. Non-target Organism Advisory Statement: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by minimizing spray drift.

### International Inventories

|                      |            |
|----------------------|------------|
| <b>TSCA</b>          | Not Listed |
| <b>DSL/NDSL</b>      | Not Listed |
| <b>EINECS/ELINCS</b> | Not Listed |
| <b>ENCS</b>          | Not Listed |
| <b>IECSC</b>         | Not Listed |
| <b>KECL</b>          | Not Listed |
| <b>PICCS</b>         | Not Listed |
| <b>AICS</b>          | Not Listed |

### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

## **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### **SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

| Chemical name                          | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|----------------------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| 2,4-D, 2-ethylhexyl ester<br>1928-43-4 | 100 lb                      | -                      | -                         | -                          |
| Trade Secret                           | 1000 lb                     | -                      | -                         | X                          |

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

| Chemical name                          | Hazardous Substances RQs | Extremely Hazardous Substances RQs |
|----------------------------------------|--------------------------|------------------------------------|
| 2,4-D, 2-ethylhexyl ester<br>1928-43-4 | 100 lb                   | -                                  |
| Trade Secret                           | 1000 lb                  | -                                  |

## **US State Regulations**

### **U.S. State Right-to-Know Regulations**

#### **US State Regulations**

| Chemical name                          | New Jersey | Massachusetts | Pennsylvania |
|----------------------------------------|------------|---------------|--------------|
| 2,4-D, 2-ethylhexyl ester<br>1928-43-4 | X          | -             | -            |
| Trade Secret                           | X          | -             | X            |
| Dimethylamine dicamba<br>2300-66-5     | X          | -             | -            |
| Trade Secret                           | X          | X             | X            |

## **16. OTHER INFORMATION**

|                    |                  |                |                    |                                    |
|--------------------|------------------|----------------|--------------------|------------------------------------|
| <u><b>NFPA</b></u> | Health hazards 2 | Flammability 1 | Instability 0      | Physical and Chemical Properties - |
| <u><b>HMIS</b></u> | Health hazards 2 | Flammability 1 | Physical hazards 0 | Personal protection X              |

### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of PBI Gordon Corporation's knowledge, information and belief at the date of this publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process, unless specified in the text. **PBI GORDON CORPORATION MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE.** Given the variety of factors that can affect the use and application of this product, some of which are

---

uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Each user is also responsible for evaluating the conditions of use and designing the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. PBI Gordon Corporation assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

**End of Safety Data Sheet**