

## NOTICE OF LANDSCAPE APPLICATION

Date of Application: April 30, 2025

May 5, 2025 Scheduled as an alternate day in the event of inclement weather.

**Location:** Treetop Park

Reason for Application: Fertilize turf to provide uniform growth with extended nitrogen feeding.

Product Manufacturer Name: Yara Turf Royale 21-7-14

-Active ingredients: N/A

-Precautionary statement: Causes serious eye irritation.

**Reason for Application:** The following herbicide treatment is used to control broadleaf in the turf. **Product Manufacturer Name:** Power Zone Broadleaf Herbicide for Turf

- -EPA registration no. 2217-834
- -Active ingredients: MCPA, 2-ethylhexyl/ester, Mecoprop-p acid, Dicamba acid, and Carfentrazone-ethyl.
- -Precautionary statement: Causes moderate eye irritation. Harmful if absorbed through skin. Harmful if swallowed.
- \*See attached label and SDS sheet
- \*Dates are subject to change due to weather

## TURF ROYALE™ 21-7-14

THE VIKING SHIP® BRAND IS A REGISTERED TRADEMARK OF YARA INTERNATIONAL ASA



TURF ROYALE™ 21-7-14



21.2.14





TURF ROYALETM 21-7-14









50 lbs/ 22.7 kg



50 LBS. NET WT. (22.7 kg)



VIKING SHIP® BRAND 21-7-14 PROFESSIONAL TURF AND LANDSCAPE FERTILIZER
A Turf Fertilizer for All Seasons

CHAMPIONSHIP QUALITY PRILLED FERTILIZER FOR PROFESSIONAL TURF AND LANDSCAPE MANAGERS:

3-1-2 Ratio with Sulfur • Dust Free • Homogenous Prills • Chlorine Free • Easy to Apply • Accurate Calibration

**Guaranteed Analysis** 

Derived from Ammonium Nitrate. Monoammonium Phosphate. Diammonium Phosphate and Sulfate of Potash.

Guaranteed by: Yara North America, Inc. 100 North Tampa Street, Suite 3200 Tampa, FL 33602 For Yara International ASA, Norway

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to, a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

#### FOUR SEASON RESPONSE:

- Nitrate nitrogen for fast greening in cool weather.
   Ammonium nitrogen for supplemental feeding.
   High water solubility phosphate for vigorous new growth.
   Sulfate of potash for maintenance of vigorous turf in high traffic areas and to aid in turf resistance to disease and weather stress.

- Advantages for the Landscape Professional

  1. Viking Ship® Turf Royale 21-7-14 is a homogenous prilled dust I. Viking Sinjp 'Uni Hoyade 21-714 is a holinologeillos' pirtled uoist free fertilizer, with the proper 3-1-2 ratio of  $N_1P_2O_5$  and  $K_2O$  to meet the demands of established turf and ornamental feeding. 2. Viking Ship® Turf Royale 21-7-14 is a high analysis fertilizer (47.1% plant nutrients). It contains two types of nitrogen: Nitrate for quick response and ammonium nitrogen for
- supplemental feeding.

  3. Viking Ship® Turf Royale 21-7-14 prills are free flowing for even application and accurate calibration.

Suggestions for Use

- Apply when foliage is dry and soil moist.
   Apply with well maintained equipment for even distribution
- and optimum results.

  3. Water immediately after application to wash foliage.

**Turfgrass** 

Preplant: Prior to seeding, plugging, or laying of sod, broadcast 6 pounds of Viking Ship® Turf Royale per 1,000 square feet and cultivate into topsoil. After planting, irrigate to keep moist until

the turf is established. Coverage: 8,300 sq. ft./50 lb bag.

Established Turf: Broadcast 5 pounds of Viking Ship® Turf Royale per 1,000 square feet. Apply irrigation to dissolve fertilizer and incorporate into turfgrass rooting zone.

Coverage: 10,000 sq. ft./50 lb bag. Overseeding: Broadcast 4 pounds of Viking Ship® Turf Royale per 1,000 square feet. Water in immediately after seeding

Broadleaf Groundcover

At the beginning of the growing season and again halfway through, broadcast 4-5 pounds of Viking Ship® Turf Royale per 1,000 square feet. Wash any fertilizer prills off the foliage immediately to prevent spotting. Established Trees & Shrubs

Shrubs and Evergreens: Sprinkle 1 cup of Viking Ship® Turf Royale 21-7-14 evenly around the drip line and work into the top 1" of soil. Water thoroughly.

Excellent for use in Landscaped areas

Turf Royale supplies nitrogen, phosphate and potash in the low salt sulfate form. Annuals or perennial ornamentals, trees, shrubs, ground covers and bedding plants all can benefit from the 3-1-2 ratio.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm

Warning: This product contains a chemical (or chemicals) known to the State of California to cause cancer and birth defects or other reproductive harm.

Yara offers a wide spectrum of fertilizer products. For higher quality, yield and profits, use Yara.









Also available from Yara:

- Micronutrients

Questions/Information

Customer Service: 800-234-9376

Visit our website www.yara.us







(This Safety Data Sheet conforms to the requirements of the Hazard Communication Standard (HCS) (29 CFR 1910.1200(g)), revised in 2012.) - United States

Date of issue/ Date of revision : 05/20/2020
Date of previous issue : 08/24/2018
Version : 2.0



## SAFETY DATA SHEET

Turf Royale 21-7-14

## **Section 1. Identification**

GHS product identifier : Turf Royale 21-7-14

Product type : Solid (prills)
Product code : PH981P

<u>Uses</u>

**Area of application**: Industrial applications, Professional applications

Supplier

Supplier's details : Yara North America, Inc.

<u>Address</u>

Street: 100 North Tampa Street, Suite 3200

Postal code : 33602 City : TAMPA Country : United States

Telephone number : +1 813 222 5700 Fax no. : +1 813 875 5735 e-mail address of person : yna-hesg@yara.com

e-mail address of person responsible for this SDS

Emergency telephone number : US: Chemtrec 24-hours Emergency Response: 1-800-424-

(with hours of operation) 93

Canada: 24 Hour Emergency Service, Canutec 613-996-6666

#### **National advisory body/Poison Center**

Name : The National Poisons Emergency number

**Telephone number** : 1 800 222 1222

## Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture.

: EYE IRRITATION - Category 2A

#### **GHS** label elements

Hazard pictograms



Signal word : Warning

**Hazard statements**: H319 Causes serious eye irritation.

**Precautionary statements** 

**Prevention**: P280-a Wear eye protection.

P264-a Wash hands thoroughly after handling.

Response : P305 IF IN EYES:

P351 Rinse cautiously with water for several

minutes.

P338 Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 If eye irritation persists: P313-a Get medical attention.

Hazards not otherwise classified

Product forms slippery surface when combined with water.

## Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	CAS number	%
Ammonium nitrate	6484-52-2	>= 45- <50
Nitric acid potassium salt	7757-79-1	>= 7- <10

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

#### **Description of necessary first aid measures**

Date of issue : 05/20/2020 Page:2/19

**Eye contact** : Rinse with plenty of running water. Check for and remove any

contact lenses. If irritation persists, get medical attention.

**Inhalation** : If inhaled, remove to fresh air. In case of inhalation of

decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

**Skin contact** : Wash with soap and water. Get medical attention if irritation

develops.

Ingestion : Wash out mouth with water. If material has been swallowed

and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so

by medical personnel.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eye contact** : Causes serious eye irritation.

**Inhalation** : Exposure to decomposition products may cause a health

hazard. Serious effects may be delayed following exposure.

**Skin contact**: No known significant effects or critical hazards.

**Ingestion**: Irritating to mouth, throat and stomach.

#### Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following: pain or irritation,

watering, redness

Inhalation:No specific data.Skin contact:No specific data.Ingestion:No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to

be kept under medical surveillance for 48 hours.

**Specific treatments** : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing media

Unsuitable extinguishing

media

Use flooding quantities of water for extinction.

Do NOT use chemical extinguisher or foam or attempt to

smother the fire with steam or sand.

Date of issue : 05/20/2020 Page:3/19

## Specific hazards arising from the chemical

The product itself is not combustible but it can support combustion, even in absence of air. On heating it melts and further heating can cause decomposition, releasing toxic fumes containing nitrogen oxides and ammonia.

# Hazardous thermal decomposition products

Decomposition products may include the following materials: nitrogen oxides, sulfur oxides, phosphorus oxides, halogenated compounds, metal oxide/oxides, ammonia, Avoid breathing dusts, vapors or fumes from burning materials., In case of inhalation of decomposition products in a fire, symptoms may be delayed.

## Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

# Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Remark Remark Non-flammable.Non-explosive.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

#### For emergency responders

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

# Personal precautions, protective equipment and emergency procedures

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

#### **Environmental precautions**

 Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution

Date of issue : 05/20/2020 Page:4/19

(sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Avoid dust generation. Using

a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container.

Dispose of via a licensed waste disposal contractor.

Dispose of via a licensed waste disposal contractor.

Large spill : Move containers from spill area. Approach release from

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

Not for human or animal consumption.

**Precautions for safe handling**: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty

containers retain product residue and can be hazardous. Do not reuse container. See also Section 8 for additional

information on hygiene measures.

Protective measures : Put on appropriate personal protective equipment (see

Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general : Eating, drinking and smoking should be prohibited in areas occupational hygiene where this material is handled, stored and processed.

where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8

for additional information on hygiene measures.

Date of issue : 05/20/2020 Page:5/19

## Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep away from: organic materials, oil and grease.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### Occupational exposure limits

Ingredient name	Exposure limits
Ammonium nitrate	None.
Nitric acid potassium salt	None.

# Appropriate engineering controls Environmental exposure controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

Hygiene measures

- : A washing facility or water for eye and skin cleaning purposes should be present. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.
- Eye/face protection
- : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommended: Tightly-fitting goggles,

#### **Skin protection**

Hand protection

- : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection
- Personal protective equipment for the body should be selected based on the task being performed and the risks involved.

Date of issue : 05/20/2020 Page:6/19

Other skin protection : Appropriate footwear and any additional skin protection

measures should be selected based on the task being

performed and the risks involved and should be approved by a

specialist before handling this product.

**Respiratory protection**: Use a properly fitted, particulate filter respirator complying with

an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and

the safe working limits of the selected respirator.

Personal protective equipment

(Pictograms)





## Section 9. Physical and chemical properties

**Appearance** 

Physical state : Solid [prills]
Color : Gray.,
Odor : Odorless.
Odor threshold : Not determined.
pH : 4.5 [Conc.: 100 g/l]

Melting/freezing point : Decomposes: 160 °C (320 °F)

Boiling/condensation point : Not determined.

Sublimation temperature : Not determined.

Flash point : Not determined.

Evaporation rate : Not determined.

Flammability (solid, gas) : Non-flammable.

Lower and upper explosive

(flammable) limitsUpper: Not determined.Vapor pressure: Not determined.Bulk density: 1,000 kg/m3

Relative density : Not determined.

**Solubility** : Soluble in the following materials:

cold water

Partition coefficient: n-

octanol/water

Not determined.

**Auto-ignition temperature** : Not determined.

**Decomposition temperature** : 160 °C (320 °F)

Viscosity : Dynamic: Not determined.

Date of issue : 05/20/2020 Page:7/19

Lower: Not determined.

Kinematic: Not determined.

Explosive properties

Oxidizing properties

: Non-explosive.

Oxidizing properties : None

## Section 10. Stability and reactivity

**Reactivity** : No specific test data related to reactivity available for this

product or its ingredients.

**Chemical stability**: The product is stable.

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous

reactions will not occur.

Conditions to avoid : Avoid contamination by any source including metals, dust and

organic materials.

Incompatible materials : alkalis combustible materials, reducing materials, organic

materials, Acids

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

## **Section 11. Toxicological information**

#### Information on toxicological effects

#### **Acute toxicity**

Product/ingredie nt name	Method	Species	Result	Exposure	References
Nitric acid potassiu	m salt				
	LD50 Oral	Rat	2,000 - 5,000 mg/kg	Not applicable.	CSR
	LD50 Dermal	Rat	> 5,000 mg/kg	Not applicable.	CSR
Ammonium nitrate					
	OECD 401 LD50 Oral	Rat	2,950 mg/kg	Not applicable.	CSR
	OECD 402 LD50 Dermal	Rat	> 5,000 mg/kg	Not applicable.	CSR

**Conclusion/Summary**: No known significant effects or critical hazards.

#### Irritation/Corrosion

Product/ingredient name	Method	Species	Result	Exposure	References

Date of issue : 05/20/2020 Page:8/19

Nitric acid potassium salt						
	OECD 404	Rabbit	Non-		IUCLID 5	
	Skin		irritating.			
Ammonium nitrate						
	OECD 405	Rabbit	Irritant		CSR	
	Eyes					

#### Conclusion/Summary

**Skin** : No known significant effects or critical hazards.

**Eyes** : Causes serious eye irritation.

**Respiratory** : No known significant effects or critical hazards.

## **Sensitization**

Product/ingredient name	Method	Species	Result	References
Ammonium nitrate				
	OECD 429 Skin	Mouse	Not sensitizing	

#### Conclusion/Summary

Skin: No known significant effects or critical hazards.Respiratory: No known significant effects or critical hazards.

#### **Mutagenicity**

Product/ingredient	Method	Test detail	Result	References				
name								
Ammonium nitrate	Ammonium nitrate							
	OECD 473	Mammalian Toxicity - Genotoxicity - In vitro Mammalian Chromosome Aberration Test or Mammalian Bone Marrow Chromosomal Abberation Test or Mammalian Erythrocyte Micronucleus Test In vitro	Negative	CSR				
	OECD 471	Bacteria	Negative	IUCLID				

Date of issue : 05/20/2020 Page:9/19

In vitro

**Conclusion/Summary** : No known significant effects or critical hazards.

#### **Carcinogenicity**

#### **Classification**

Product/ingredient	OSHA	IARC	NTP
name			
Nitric acid potassium salt	Not applicable.	2A	Not applicable.

**Conclusion/Summary**: No known significant effects or critical hazards.

#### **Reproductive toxicity**

Product/ingredient name	Method	Species	Result	Exposure	References
Ammonium nitrate					
	OECD 422 Oral	Rat	Fertility effects- Negative Developmental- Negative NOAEL > 1500 mg/kg bw/day	28 days	CSR

**Conclusion/Summary** : No known significant effects or critical hazards.

#### Specific target organ toxicity (single exposure)

No known significant effects or critical hazards.

#### Specific target organ toxicity (repeated exposure)

No known significant effects or critical hazards.

#### **Aspiration hazard**

No known significant effects or critical hazards.

Information on the likely

Not available.

routes of exposure:

#### Potential acute health effects

**Eye contact** : Causes serious eye irritation.

Inhalation : Exposure to decomposition products may cause a health

hazard. Serious effects may be delayed following exposure.

**Skin contact** : No known significant effects or critical hazards.

**Ingestion** : Irritating to mouth, throat and stomach.

Date of issue: 05/20/2020 Page:10/19

#### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following: pain or irritation,

watering, redness

Inhalation:No specific data.Skin contact:No specific data.Ingestion:No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

#### Potential chronic health effects

Product/ingredient	Method	Species	Result	Exposure	References
name					
Ammonium nitrate					
	OECD 422 Chronic NOAEL Oral	Rat	256 mg/kg	28 days	CSR
	OECD 412 Sub-acute NOEC Inhalation	Rat	> 185 mg/m³	2 weeks 5 hours per day	CSR

**Carcinogenicity**: No known significant effects or critical hazards.

**Mutagenicity**: No known significant effects or critical hazards.

**Fertility effects**: No known significant effects or critical hazards.

**Developmental effects**: No known significant effects or critical hazards.

**Effects on or via lactation** : No known significant effects or critical hazards.

Other effects : No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following: pain or irritation,

watering, redness

Inhalation:No specific data.Skin contact:No specific data.Ingestion:No specific data.

Date of issue : 05/20/2020 Page:11/19

#### **Numerical measures of toxicity**

#### **Acute toxicity estimates**

Route	ATE value
Oral	5,162.1 mg/kg

## **Section 12. Ecological information**

#### **Toxicity**

TOXICITY							
Product/ingred	Method	Species	Result	Exposure	References		
ient name		-					
Nitric acid potassium salt							
	OECD 203	Fish	> 100 mg/l	96 h	CSR		
	Acute LC50						
	Fresh water						
	Acute EC50	Daphnia	490 mg/l	48 h	CSR		
	Fresh water						
	Acute EC50	Algae	> 1,700 mg/l	240 h	CSR		
	Fresh water						
Ammonium nitrate	Э						
	Acute LC50	Fish	447 mg/l	48 h	CSR		
	Fresh water						
	Acute EC50	Daphnia	490 mg/l	48 h	CSR		
	Fresh water	-					
	Acute EC50	Algae	1,700 mg/l	10 d	CSR		
	Salt water						

**Conclusion/Summary**: No known significant effects or critical hazards.

Persistence and degradability

**Conclusion/Summary**: No known significant effects or critical hazards.

**Bioaccumulative potential** 

**Conclusion/Summary**: No known significant effects or critical hazards.

**Mobility in soil** 

Soil/water partition : Not available. coefficient (KOC)

**Mobility** : Not available.

Other adverse effects : No known significant effects or critical hazards.

## Section 13. Disposal considerations

Date of issue : 05/20/2020 Page:12/19

#### **Product**

#### Methods of disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

Regulation: UN Class			
14.1 UN number	Not regulated.		
14.2 UN proper shipping name	Not applicable.		
14.3 Transport hazard class(es)	Not applicable.		
14.4 Packing group	Not applicable.		
14.5 Environmental hazards	No.		
Additional information			
Environmental hazards : No.			

Regulation: IMDG		
14.1 UN number	Not regulated.	
14.2 UN proper shipping name	Not applicable.	
14.3 Transport hazard class(es)	Not applicable.	
14.4 Packing group	Not applicable.	
14.5 Environmental hazards	No.	
Additional information		
Marine pollutant	: No.	

Date of issue : 05/20/2020 Page:13/19

Regulation: IATA		
14.1 UN number	Not regulated.	
14.2 UN proper shipping name	Not applicable.	
14.3 Transport hazard class(es)	Not applicable.	
14.4 Packing group	Not applicable.	
14.5 Environmental hazards	No.	
Additional information <u>Marine pollutant</u>	: No.	

Regulation: DOT Classification	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	
Marine pollutant	: Not available.

Regulation: TDG Class	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	
Not applicable.	
Environmental hazards	: No.

14.6 Special precautions for user

: Transport within user's premises: Ensure that persons transporting the product know what to do in the event of

an accident or spillage.

**IMSBC** 

Bulk cargo shipping name : AMMONIUM NITRATE BASED FERTILIZER (non-

Date of issue : 05/20/2020 Page:14/19

hazardous)

Class Not applicable.

Group

Marpol V Non-HME

Transport in bulk according to Annex II of MARPOL and the

**IBC Code** 

Not applicable.

## **Section 15. Regulatory information**

#### **United States**

U.S. Federal regulations TSCA 8(a) CDR Exempt/Partial exemption: Not

determined

Clean Air Act Section 112(b)

**Hazardous Air Pollutants** 

(HAPs)

Clean Air Act Section 602

Class I Substances

Clean Air Act Section 602

**Class II Substances** 

**DEA List I Chemicals** 

(Precursor Chemicals)

**DEA List II Chemicals** 

(Essential Chemicals)

Not listed

Not listed

Not listed

Not listed

Not listed

#### **SARA 302/304**

#### **Composition/information on ingredients**

No products were found.

**SARA 304 RQ** Not applicable.

**SARA 311/312** 

Classification EYE IRRITATION - Category 2A

#### **Composition/information on ingredients**

Name	%	Classification
Nitric acid potassium salt	>= 7 - < 10	Fire hazard - Delayed (chronic) health hazard Fire hazard

Date of issue: 05/20/2020 Page:15/19

EYE IRRITATION - Category 2A OXIDIZING SOLIDS - Category 3
--

#### **SARA 313**

#### Form R - Reporting requirements

Product name	CAS number	%
Phosphoric acid, ammonium salt (1:2)	7783-28-0	>= 1 - < 2
Phosphoric acid, ammonium salt (1:1)	7722-76-1	>= 3 - < 5
Sulfuric acid ammonium salt (1:2)	7783-20-2	>= 7 - < 10
Nitric acid potassium salt	7757-79-1	>= 7 - < 10
Ammonium nitrate	6484-52-2	>= 45 - < 50

#### **Supplier notification**

Product name	CAS number	%
Phosphoric acid, ammonium salt (1:2)	7783-28-0	>= 1 - < 2
Phosphoric acid, ammonium salt (1:1)	7722-76-1	>= 3 - < 5
Sulfuric acid ammonium salt (1:2)	7783-20-2	>= 7 - < 10
Nitric acid potassium salt	7757-79-1	>= 7 - < 10
Ammonium nitrate	6484-52-2	>= 45 - < 50

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### **State regulations**

Massachusetts: None of the components are listed.New York: None of the components are listed.New Jersey: The following components are listed:

Ammonium nitrate Nitric acid potassium salt Calcium fluoride (CaF2)

**Pennsylvania** : The following components are listed:

Sulfuric acid ammonium salt (1:2)

Nitric acid potassium salt Ammonium nitrate

#### California Prop. 65

**★ WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

#### **Inventory list**

Date of issue : 05/20/2020 Page:16/19

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Korea inventory: All components are listed or exempted.

Australia inventory (AICS): All components are listed or exempted.

Canada inventory: All components are listed or exempted.

**United States inventory (TSCA 8b):** All components are listed or exempted. **EC INVENTORY (EINECS/ELINCS):** All components are listed or exempted.

Canada: All components are listed or exempted.

## Section 16. Other information

#### **Hazardous Material Information System (U.S.A.)**

Health	/	2
Flammability		0
Physical hazards		0
		<u> </u>


Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on MSDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association. Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

#### **Chronic toxicity:**

- -: No data available.
- \*: Carcinogen, Target organs, Reproductive effects, Sensitizer to lungs

#### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire,

Date of issue : 05/20/2020 Page:17/19

health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### Procedure used to derive the classification

Classification	Justification	
EYE IRRITATION - Category 2A	Calculation method	

#### History

Date of printing : 05/24/2021

Date of issue/Date of revision : 05/20/2020

Date of previous issue : 08/24/2018

**Revision comments**: The following sections contain new and updated information:

2, 3, 8, 11.

Version : 2.0

**Prepared by**: Yara Chemical Compliance (YCC). **Key to abbreviations**: ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and

Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of

1978. ("Marpol" = marine pollution)

SGG = Segregation Group

UN = United Nations

Key data sources : EU REACH ECHA/IUCLID5 CSR.

National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical

Substances.

Sphera Solutions Inc., 4777 Levy Street, St Laurent, Quebec

HAR 2P9, Canada.

Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the

Date of issue : 05/20/2020 Page:18/19

Turf Roy	ile 2	21-7	'-14
----------	-------	------	------

accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue: 05/20/2020 Page:19/19



ACTIVE INGREDIENTS:	ACTIVE	INGREDIENTS:
---------------------	--------	--------------

MCPA, 2-ethylhexyl ester.	41.98%
Mecoprop-p acid	5.39%
Dicamba acid	
Carfentrazone-ethyl	0.48%
OTHER INGREDIENTS:	49.46%
TOTAL	100.00%

#### THIS PRODUCT CONTAINS:

2.21 lbs. 2-methyl-4-chlorophenoxyacetic acid equivalent per gallon or 26.92%. 0.44 lb. (-)-R-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 5.39%.
 0.22 lb. 3,6-dichloro-o-anisic acid equivalent per gallon or 2.69%.
 0.04 lb. Ethyl α,2-dichloro-5-[4(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-

1,2,4-triazol-1-yl]-4-fluorobenzenepropanoate per gallon or 0.48%

Contains petroleum distillates.

## KEEP OUT OF REACH OF CHILDREN CAUTION

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)



#### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

#### Personal Protective Equipment (PPE)

Some materials that are chemical resistant to this product are made of barrier laminate, butyl rubber, nitrile rubber, or viton. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

Mixers, loaders, applicators, and other handlers must wear:
• Long-sleeved shirt and long pants,

- · Shoes plus socks, and
- · Chemical-resistant gloves.

#### **User Safety Requirements**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

#### **Engineering Control Statements**

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

#### **User Safety Recommendations**

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- · Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- · Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

First Aid	
If swallowed:	Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.     Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.     Call a poison control center or doctor for treatment advice.
If on skin or on clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled:	Move person to fresh air.     If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.     Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

NOTE TO PHYSICIAN: Contains petroleum distillates - vomiting may cause aspiration pneumonia.

#### Environmental Hazards

This pesticide may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170.

This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection

Do not enter or allow worker entry into treated areas during the restrictedentry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- · coveralls worn over short-sleeved shirt and short pants,
- · chemical-resistant footwear plus socks,
- · chemical-resistant gloves made of any water-proof material,
- · chemical-resistant headgear for overhead exposure and
- · protective eyewear.

#### Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Reentry Statement: Do not enter or allow others to enter the treated area until sprays have dried.

#### PRODUCT DESCRIPTION:

PowerZone® Broadleaf Herbicide For Turf contains four active ingredients including carfentrazone-ethyl that broaden the spectrum of weed control. Carfentrazone-ethyl is in the aryl triazolinone family and inhibits protoporphyrinogen oxidase (Protox), a pivotal enzyme in chlorophyll production.

#### PowerZone offers these advantages:

- · Excellent postemergent activity with proven performance for broadleaf weed control in turfgrass.
- Superior cool weather performance.
- · High selectivity (turfgrass safety) in established cool season turfgrass and warm season turfgrass.
- · Carfentrazone-ethyl combinations provide rapid and effective weed control for common and troublesome weed species in turfgrass, e.g. spurge, pennywort (dollarweed), dandelion, and white clover.
- · Fast acting with evidence of injury within hours. The speed of action (rate of phytotoxicity) and the early injury symptoms are unique features of cartentrazone-ethyl combinations. Generally, the injury symptoms can be noticed within hours of the application and plant death can occur within 7 to 14 days.

#### SPRAY PREPARATION AND TANK MIXTURES:

PowerZone is an emulsifiable concentrate intended for dilution with water. In certain applications, liquid fertilizer may replace part of the water as a diluent.

Add one-half the required amount of water to the spray tank, then add PowerZone slowly with agitation, and complete filling the tank with water. To prevent separation of the emulsion, mix thoroughly and continue agitation while

This product forms an emulsion and can separate upon extended or prolonged standing. Re-agitate to assure uniformity of the spray mixture. Storage of the spray mixture beyond 72 hours is not recommended.

Do not use tank additives that alter the pH of the spray solution below pH 5 or above pH 8. Buffer the spray solution to alter the pH range as appropriate.

#### Liquid fertilizers as diluents:

Use suitable sources and rates of fertilizer based upon local recommendations. Refer to the mixing directions on the labels of the liquid fertilizers (eg. UAN or urea solutions). Always perform a jar compatibility test before large scale mixing.

#### **GROUND EQUIPMENT:**

Power sprayers fitted with a boom or spray wand/gun may be used for broadcast applications and spot treatments. For best spray distribution and coverage, select a spray volume and delivery system that will ensure accurate and uniform coverage. Boom sprayers equipped with appropriate flat fan nozzles, tips, and screens are suitable for broadcast applications. Do not use flood nozzles, Raindrop®, or nozzle tips larger than 8008. Spray droplets larger than 400 microns may reduce coverage and subsequent loss in weed control.

Spray volumes of 3 to 175 gallons per acre with spray pressures adjusted to 20 to 40 psi are appropriate. Use higher spray volumes for dense weed populations.

Hand operated sprayers including backpack sprayers, compression sprayers, and knapsack sprayers are appropriate for small turfgrass areas when power equipment is unavailable, uneconomical, or impractical

This product may cause injury to susceptible/nontarget plants at the use site by contacting the foliage, stems, or roots. To prevent injury to susceptible crops and other desirable broadleaf plants including but not limited to cotton, legumes, tobacco, tomatoes, garden/vegetable crops, and ornamentals (flowers, trees, and shrubs) avoid contact with the spray solution, spray droplets, and spray mist (fine droplets). Do not apply when conditions are conducive to spray drift from the use site to untreated areas.

After using this product, clean sprayer with soap or detergent and water, or an approved spray tank cleaner and rinse thoroughly before applying other pesticides.

Do not apply by air.

#### WHERE TO USE:

PowerZone provides selective broadleaf control in warm season and cool season turfgrass in five (5) use sites.

- · Institutional sites are defined as turf areas around properties or facilities providing a service to public or private organizations including, but not limited to hospitals, nursing homes, schools, museums, libraries, sport facilities, golf courses (fairways, aprons, and roughs), and office buildings.
- Ornamental sites include turfgrass established around residences, parks, streets, retail outlets, cemeteries, industrial and institutional buildings, recreation areas, fairgrounds, and areas adjacent to athletic fields.
- · Residential/domestic sites are defined as areas associated with the household or home life including, but not limited to apartment complexes, condominiums, and patient care areas of nursing homes, mental institutions, hospitals, or convalescent homes.
- · Agricultural site: Commercial sod production
- Noncropland Sites: Highway rights-of-way (principal, interstate, county, private, and unpaved roads): Roadsides, roadside ditches, road shoulders, road embankments, dividers, and medians. Municipal, state, and federal lands: Airports and military installations.

#### Prohibitions of Sites:

- Do not apply to any body of water such as lakes, streams, rivers, ponds, reservoirs, or estuaries (salt water bays). Do not apply to any shorelines (noncropland sites adjacent to the edges of a body of water) for lakes, streams, rivers, ponds, reservoirs, or estuaries (salt water bays).
- Do not apply to wetlands (swamps, bogs, potholes, or marshes)
- · Do not apply to agricultural irrigation water or on agricultural irrigation ditchbanks and canals
- Do not apply to agricultural drainage water or on agricultural ditchbanks.
- · Do not apply this product to bentgrass greens, carpetgrass, dichondra, legumes, and lawns where desirable clovers are present.
- · Do not apply this product to St. Augustinegrass during spring green-up which is the transition period between dormancy and active growth.

  Cultivars of St. Augustinegrass vary in tolerance to this product. Do not apply
- to 'Floratam' St. Augustinegrass.
- · Do not use this product on or near desirable plants, including contact of spray on exposed root systems or adventitious shoots within the drip line of desirable trees and shrubs, since injury may result.
- · Do not apply by air.

#### Turfgrass tolerance:

The turfgrass tolerance to PowerZone may vary and temporary turfgrass yellowing may occur on certain varieties of hybrid bermudagrass. Environmental conditions and certain spray tank additives (eg. adjuvants, wetting agents, surfactants), liquid fertilizers, and tank mixtures containing other emulsifiable concentrates may reduce the selectivity on the turfgrass.

These cool season and warm season turfgrass species may be treated:

#### Cool Season Turf

Kentucky bluegrass Annual bluegrass

Annual ryegrass
Perennial ryegrass

Tall fescue

Red or fine leaf fescues

Mixtures of cool season species in noncropland areas established for roadside vegetation management or for low maintenance. (Kentucky bluegrass, tall fescue, smooth bromegrass, and orchardgrass)

#### Warm Season Turf

Common bermudagrass

Hybrid bermudagrass

Zoysiagrass

#### **APPLICATION SCHEDULES:**

Early postemergent applications of PowerZone are recommended for annual, biennial, and perennial weeds. Apply PowerZone to broadleaf weeds that are young and actively growing for the best results. PowerZone combines a contact herbicide with systemic herbicides and provides little or no residual activity at

PowerZone may be applied as a single broadcast application or as a split/sequential broadcast applications in the spring, summer, or fall. Spring and fall treatments under adequate soil moisture conditions are preferred to the summer treatments. Generally, summer broadcast applications to older, drought stressed weeds are less effective.

Apply sequential broadcast applications or followup applications as spot treatments at a minimum interval of 30 days.

Spot treatments during the summer may be appropriate for sparse infestations, or as a follow-up treatment, or any time broadleaf weeds are susceptible. Apply on a spray-to-wet basis for the best results.

Extremes in environmental conditions e.g. temperature and moisture, soil conditions, and cultural practices may affect the activity of PowerZone. Under warm moist conditions, herbicide symptoms may be accelerated. While under very dry conditions, the expression of herbicide symptoms is delayed, and weeds hardened off by drought are less susceptible to PowerZone.

#### For newly seeded areas:

The application of PowerZone to grass seedlings is recommended after the second mowing.

For newly sodded, sprigged, or plugged areas:
The application of PowerZone to newly sodded, sprigged, or plugged grasses should be delayed until 3 to 4 weeks after the sodding, sprigging, or plugging operations.

#### For dormant turf:

Applications to dormant bermudagrass, and dormant zoysiagrass are suggested.

#### Prohibitions for application schedules:

Do not broadcast apply when air temperatures exceed 90°F; some injury may be expected with spot treatments when air temperatures exceed 90°F.

#### HOW MUCH TO USE: USE RATES AND SPRAY VOLUMES FOR TURFGRASS:

Generally, the lower application rates within the specified range will provide satisfactory control of sensitive weed species. The higher application rates within the specified range will be required for dense infestations of perennial weeds, for adverse/extreme environmental conditions, or for weeds beyond the appropriate growth stages.

Use rates and spray volumes of PowerZone as broadcast treatments for use on turfgrass are presented in Table 1.

	Amount of		Spray Volume		
Species	Product for SENSITIVE WEEDS	Amount of Product for HARD-TO-CONTROL WEEDS	Gallons Per Acre	Gallons Per 1,000 sq. ft.	
Cool-Season Turf: Kentucky bluegrass, Annual bluegrass, Annual ryegrass, Perennial ryegrass, Tall Fescue, Red or Fine Fescue.					
Mixtures of cool-season species in non-cropland areas established for roadside vegetation management or for low maintenance. (Kentucky bluegrass, tall fescue, smooth bromegrass & orchardgrass).	3.5 to 4 Pints/Acre (1.3 to 1.5 fl. oz. per 1,000 sq. ft.)	4 to 5 Pints/Acre (1.5 to 1.8 fl. oz. per 1,000 sq. ft.)	3 to 175	0.1 to 4.0	
Warm Season Turf: Common and Hybrid Bermudagrass, Zoysiagrass.	2 to 3 Pints/Acre (0.75 to 1.1 fl. oz. per 1,000 sq. ft.)	3 to 4 Pints/Acre (1.1 to 1.5 fl. oz. per 1,000 sq .ft.)	3 to 175	0.1 to 4.0	

#### Limitations on broadcast treatments for turfgrass on all use sites:

The maximum application rate is 5.0 pints of product per acre per application (1.38 lb. MCPA ae, 0.28 lb. MCPP-p ae, and 0.14 lb. dicamba ae per acre per application). The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 10 pints of product per acre per year (2.76 lb. MCPA ae, 0.55 lb. MCPP-p ae, and 0.28 lb. dicamba ae per acre per year), excluding spot treatments.

#### SPOT TREATMENTS WITH HAND OPERATED SPRAYERS (INCLUDING BACKPACK SPRAYERS, COMPRESSION SPRAYERS, AND KNAPSACK SPRAYERS):

- For cool season turfgrass, mix 1.5 to 2.2 fl. oz. of PowerZone per one (1.0) gallon of water for treatment of approximately 1,000 sq. ft. of turfgrass. Apply any time the emerged broadleaf weeds are susceptible. Spray the target weeds thoroughly and wet the entire leaf surface of the undesirable plants.
- For warm season turfgrass, mix 0.75 to 1.5 fl. oz. of PowerZone per one (1.0) gallon of water for treatment of approximately 1,000 sq. ft. of turfgrass. Apply any time the emerged broadleaf weeds are susceptible. Spray the target weeds thoroughly and wet the entire leaf surface of the undesirable plants.

#### Limitations on spot treatments for turfgrass on all use sites:

Spot treatment is defined as a treatment area no greater than 1,000 sq. ft. per acre. The maximum application rate is 2.2 fl. oz. per 1,000 sq. ft. per application (0.33 lb. MCPP-p acid equivalent per acre). The maximum number of spot treatments is limited to 2 per year with a minimum of 30 days between applications.

PowerZone may be tank mixed with other herbicides EPA-registered for use on turfgrass to broaden the weed control spectrum compared to the products alone. These tank mixtures must be used according to the most restrictive label limitations and precautions. No label dosage rate should be exceeded. Follow the labeling of each companion product for precautionary statements, directions for use, dosage rates, and application schedules. Tank mixture recommendations are for use only in states where the companion products and application site are

#### **CULTURAL TIPS FOR IMPROVED CONTROL:** Irrigation:

- Do not apply this product through any type of irrigation system.
  Do not apply this product immediately before rainfall or irrigation. Do not irrigate or water the turfgrass within 24 hours after application

Delay mowing 1 to 2 days before and after the application of this product.

#### Reseeding interval:

Treated areas may be reseeded 2 weeks after application.

#### SPRAY DRIFT MANAGEMENT

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment-and weather-related factors determine the potential for spray drift. The applicator and the grower are responsible for considering all these factors when making decisions.

Apply only as a medium or coarser spray (ASAE standard 572) or a volume mean diameter of 300 microns or greater for spinning atomizer nozzles.

#### Wind Speed

Apply only when the wind speed is 2 to 10 mph at the application site. Do not apply at wind speeds greater than 10 mph.

#### Additional requirements for ground boom application:

Do not apply with a nozzle height greater than 4 feet above the crop canopy.

#### **BROADLEAF WEEDS CONTROLLED:**

PowerZone will control or suppress the following broadleaf weeds and will control or suppress other broadleaf weeds that are susceptible to MCPA.

#### **BROADLEAF WEEDS**

Annual fleabane Aster, white heath & white prairie Bedstraw Beggarticks Beggarweed, creeping Bindweed Birdsfoot trefoil Black medic Broadleaf plantain Buckhorn plantain Bull thistle Burclover Burdock, common Buttercup, creeping Carolina geranium Carpetweed Chickweed, common Chicory Cinquefoil Clover Cocklebur Common mullein Compassplant Curly dock Dandelion Dayflower Deadnettle Dock Dogfennel Dovefoot geranium English daisy False dandelion (\*spotted catsear & common catsear) Field bindweed (\*morningglory & creeping jenny) Field madder \*Synonyms

Field oxeye-daisy (\*creeping oxeye) Field pennycress Filaree, whitestem & redstem Florida pusley Ground ivy Groundsel Hairy bittercress Hawkweed Healall Henbit Horsenettle Horseweed Innocence (Blue-eyed Mary) Jimsonweed Kochia Lambsquarters Lawn burweed Lespedeza, common Mallow, common Matchweed Mouseear chickweed Mustard Nettle Old world diamond flower Oxalis (\*yellow woodsorrel & creeping woodsorrel) Parsley-piert Pennsylvania smartweed Pennywort (\*dollarweed) Pepperweed Pigweed Pineappleweed Plantain Poison ivv Poison oak

Prostrate knotweed (\*knotweed) Puncturevine Purple cudweed Purslane Ragweed Redweed Red sorrel (\*sheep sorrel) Roundleaf greenbriar Shepherd's purse Spotted spurge Spurge, prostrate Star-of-Bethlehem Sunflower Thistle Velvetleaf (\*buttonweed) Venice mallow Veronica (\*corn speedwell)
Virginia buttonweed
Virginia creeper
Western salsify
White clover (\*Dutch clover, honeysuckle clover, white trefoil, & purplewort) Wild carrot Wild garlic Wild geranium Wild lettuce Wild mustard Wild onion Wild strawberry Wild violet Yarrow Yellow rocket

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guid-

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

(cont. on next page)

#### STORAGE AND DISPOSAL (cont.)

Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

OR

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

#### LIMITED WARRANTY AND DISCLAIMER

**IMPORTANT:** Read this LIMITED WARRANTY AND DISCLAIMER before buying or using this product. By opening and using this product, buyer and all users agree to accept the terms of this LIMITED WARRANTY AND DISCLAIMER in their entirety and without exception. If the terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full.

It is impossible to eliminate all risks inherently associated with use of this product. Damage to the treated article, ineffectiveness, or other unintended consequences can result from use of the product under abnormal conditions such as weather, presence of other materials, or the manner of use or application, etc. Such factors and conditions are beyond the control of the manufacturer, and BY PURCHASING AND USING THIS PRODUCT THE BUYER AND ALL USERS OF THIS PRODUCT AGREE TO ACCEPT ALL SUCH RISKS. Buyer and all users further agree to assume all risks of loss or damage from the use of the product in any manner that is not explicitly set forth in or that is inconsistent with label instructions, warnings and cautions.

The manufacturer warrants only that this product conforms to the chemical description given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use, subject to the inherent risks described below. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF BUYER AND ALL USERS OF THIS PRODUCT, AND THE EXCLUSIVE LIABILITY OF THE MANUFACTURER, FOR ANY AND ALL LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF OR THE REPAYMENT OF THE PURCHASE PRICE FOR THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. The Manufacturer must be promptly notified in writing of any claims, whether based in contract, tort, negligence, strict liability, or otherwise, to be eligible to receive either remedy stated above.

The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere. No employee or agent of the manufacturer or seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

POWERZONE® and TRIMEC® are registered trademarks of PBI-Gordon Corporation.

® Checkered Flag/Label Design is a registered trademark of PBI-Gordon Corporation.

653/12-2018 AP110409 EPA REG. NO. 2217-834



Employee-Owned

MANUFACTURED BY PBI/GORDON CORPORATION P.O. BOX 860350 SHAWNEE, KANSAS 66286 PBIGOTdonTurf.com

ATTENTION: This specimen label is provided for informational use only. This product may not yet be available for sale in your state or area. The information found in this label may differ from the information found on the product label you are using. Always follow the instructions for use and precautions on the label of the product you are using.



## SAFETY DATA SHEET

An Employee-Owned Company

Issue Date 07-Nov-2014

Revision Date 11-Jan-2019

Version 4

#### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name PowerZone® Broadleaf Herbicide for Turf

Other means of identification

Product Code
PBI FP 6531076
EPA Pesticide Registration Number 2217-834
Product Size 4/1 U. S. Gal.

Recommended use of the chemical and restrictions on use

Recommended Use Herbicide.

Uses advised against No information available.

Details of the supplier of the safety data sheet

SupplierManufacturerCompany NamePBI Gordon CorporationPBI Gordon CorporationPBI Gordon CorporationP.O. Box 860350P.O. Box 860350P.O. Box 860350Shawnee, KS 66286Shawnee, KS 66286Shawnee, KS 66286

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

#### 2. HAZARDS IDENTIFICATION

#### Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute Oral Toxicity	Category 4
Acute dermal toxicity	Category 4
Acute Inhalation Toxicity - Gases	Category 4
Acute Inhalation Toxicity - Dusts and Mists	Category 4
Skin Corrosion/Irritation Category	Category 2
Serious eye damage/eye irritation	Category 2B
Skin Sensitization	Category 1
Aspiration Toxicity	Category 1
Acute Aquatic Toxicity	Category 1
Chronic Aquatic Toxicity	Category 1
Flammable liquids	Category 4

#### Label elements

#### **Emergency Overview**

#### Danger

#### Hazard statements

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled. Causes skin irritation. Causes eye irritation. May cause an allergic skin reaction. May be fatal if swallowed and enters airways. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Combustible liquid.



#### **Precautionary Statements - Prevention**

- · Wash face, hands and any exposed skin thoroughly after handling
- · Do not eat, drink or smoke when using this product
- · Wear protective gloves/protective clothing/eye protection/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- · Use only outdoors or in a well-ventilated area
- Avoid release to the environment
- · Keep away from heat/sparks/open flames/hot surfaces. No smoking

#### **Precautionary Statements - Response**

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- IF ON SKIN: Wash with plenty of soap and water
- · Call a POISON CENTER or doctor/physician if you feel unwell
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- · Call a POISON CENTER or doctor/physician if you feel unwell
- · Rinse mouth
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Do NOT induce vomiting
- In case of fire: Use CO2, dry chemical, or foam for extinction
- Collect spillage

#### **Precautionary Statements - Storage**

- · Store locked up
- · Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Have the product label with you when calling a poison control center or doctor or going in for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

#### Other information

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No	Weight-%
MCPA EH Ester	29450-45-1	41.98
Trade Secret	Proprietary	10-20*
Trade Secret	Proprietary	0-10*
R(+)2(2 Methyl-4-chlorophenoxy)propionic acid (MCPP)	16484-77-8	5.39
3,6-Dichloro-o-anisic acid (Dicamba)	1918-00-9	2.69
Carfentrazone-ethyl	128639-02-1	0.48

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

Description of first aid measures

General advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do

not get in eyes, on skin, or on clothing.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

Inhalation Move to fresh air in case of accidental inhalation of vapors or decomposition products. If

breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician immediately.

Self-protection of the first aider

Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Contains petroleum distillate - vomiting may cause aspiration pneumonia.

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Foam. Carbon dioxide (CO2). Dry chemical.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Evacuate personnel to safe areas. Keep

people away from and upwind of spill/leak.

Environmental precautions

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Cover liquid spill with sand, earth or other

non-combustible absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. After cleaning, flush away traces with water.

#### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray.

Do not eat, drink or smoke when using this product. Use with local exhaust ventilation.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep in properly labeled containers. Keep from freezing.

Incompatible materials None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure Guidelines** 

Physical state

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Wear protective gloves and protective clothing. Skin and body protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

> respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Liquid Liquid **Appearance** Odor

Esters

Color Amber Odor threshold No information available

Property Values Remarks • Method

Not Applicable Hd

Melting point/freezing point <35 °F

> 93 °C / 200 °F Boiling point / boiling range

> 93 °C / > 200 °F Flash point Pensky-Martens Closed Cup (PMCC) Evaporation rate <

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure

No information available
No information available

Vapor density>1Specific Gravity0.9813Water solubilityEmulsifiable

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
Oxidizing properties

No information available
No information available
No information available

**Other Information** 

**Density** 8.18 pounds/gallon

#### 10. STABILITY AND REACTIVITY

Reactivity

No data available

**Chemical stability** 

Stable.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization

Will not occur.

Conditions to avoid

Keep out of reach of children.

Incompatible materials

None known.

Hazardous decomposition products

May emit toxic fumes under fire conditions. Hydrogen chloride. Nitrogen oxides (NOx). Carbon monoxide.

#### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

Inhalation Irritant, moderate respiratory.

**Eye contact** Moderately irritating to the eyes.

Skin Contact Moderate skin irritation.

Ingestion Ingestion of large amounts can cause abdominal discomfort, nausea, and vomiting.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50		
MCPA EH Ester	= 1300 mg/kg ( Rat )	-	-		
29450-45-1					
Trade Secret	> 5000 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	> 5.2 mg/L (Rat) 4 h		
Trade Secret	= 1870 µL/kg (Rat)	= 1110 μL/kg (Rabbit)	-		

R(+)2(2 Methyl-4-chlorophenoxy)propionic acid (MCPP) 16484-77-8	= 1050 mg/kg(Rat)	> 4 g/kg (Rat)	-
3,6-Dichloro-o-anisic acid (Dicamba) 1918-00-9	= 1039 mg/kg (Rat)	= 1716 mg/kg(Rabbit)> 1 g/kg( Rat)> 2 g/kg(Rabbit)	-
Carfentrazone-ethyl 128639-02-1	= 5143 mg/kg (Rat)	> 4000 mg/kg (Rat)	= 5.09 mg/L (Rat)4 h

#### Information on toxicological effects

Symptoms No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

Germ cell mutagenicity

Carcinogenicity

May cause sensitization by skin contact.

No information available.

The International Agency for Research on Cancer (IARC) lists chlorophenoxy herbicides in its Group 2B (limited evidence for Carcinogenicity in humans.) The US EPA has given the chlorophenoxy Herbicides 2,4-D, 2,4-DP, MCPP, and MCPA a Class D classification (not classifiable as to human carcinogenicity.) More current 2,4-D lifetime feeding studies in rats and mice did not show carcinogenic effects and a recent World Health Organization (WHO) review of 2,4-D toxicology has concluded that 2,4-D is not a carcinogen. The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
MCPA EH Ester		Group 2B		
29450-45-1		·		
R(+)2(2		Group 2B		Х
Methyl-4-chlorophenoxy)pro		·		
pionic acid (MCPP)				
16484-77-8				

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.
No information available.

Chronic toxicity Avoid repeated exposure. Repeated contact may cause allergic reactions in very

susceptible persons.

Aspiration hazard No information available.

#### Numerical measures of toxicity - Product Information

Unknown Toxicity 1 % of the mixture consists of ingredient(s) of unknown toxicity

LD50 Oral VALUE (mg/kg)> 2000 mg/kg Rat-male Rat-femaleLD50 Dermal VALUE> 2000 mg/kg Rat-female Rat-maleLC50 Inhalation (DUST) VALUE> 2.06 mg/L Rat-male Rat-female

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-gas) 2732 mg/L

#### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	
MCPA EH Ester 29450-45-1	0.46: 72 h Pseudokirchneriella subcapitata mg/L EC50 0.43: 96 h Pseudokirchneriella subcapitata mg/L EC50	3.2 - 4.6: 96 h Lepomis macrochirus mg/L LC50 flow-through 3.2: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.55: 96 h Lepomis macrochirus mg/L LC50 static		0.29: 48 h Daphnia magr mg/L EC50	
Trade Secret		2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 45: 96 h Pimephales promelas mg/L LC50 flow-through		4720: 96 h Den-dronereides heteropoda mg/L LC50	
Trade Secret		1.8: 96 h Oncorhynchus mykiss mg/L LC50			

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### Other adverse effects

No information available

#### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container, unless specified by the manufacturer.

#### 14. TRANSPORT INFORMATION

**DOT** Not regulated

TDG Not regulated

MEX Not regulated

ICAO (air)

UN/ID no. UN3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Hazard class 9
Packing group III

Special Provisions A97, A158, A197

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MCPA EH

Ester, Carfentrazone-ethyl), 9, III

Limited quantity applies with an inner packaging less than 5 L or gross package weight less

than 30 kg. UN3082

UN number

UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es)
Packing group

9 III

Special Provisions

A97, A158, A197

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MCPA EH

Ester, Carfentrazone-ethyl), 9, III

IMDG Limited quantity applies with an inner packaging less than 5 L or gross package weight less

than 30 kg.

UN number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es) 9
Packing group III

 EmS-No.
 F-A, S-F

 Special Provisions
 274, 335, 969

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MCPA EH

Ester, Carfentrazone-ethyl), 9, III, Marine Pollutant

#### 15. REGULATORY INFORMATION

#### U.S. EPA Label Information

**EPA Pesticide Registration Number** 2217-834

Federal Insecticide, Fungicide, Rodenticide Act Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### **EPA Pesticide Label**

Caution

Keep out of the reach of children PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Environmental Hazards

This pesticide may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

#### International Inventories

**TSCA** Not Listed DSL/NDSL Not Listed **EINECS/ELINCS** Not Listed **ENCS** Not Listed **IECSC** Not Listed **KECL** Not Listed **PICCS** Not Listed **AICS** Not Listed

#### <u>Legend:</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Chemical name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
MCPA EH Ester				Х			Х			Х

Trade Secret	Х	X	X		X	Х	X	Х
Trade Secret	Х	Х			X	X	Х	Х
R(+)2(2 Methyl-4-chlorophenoxy)pro pionic acid (MCPP)			Х					
3,6-Dichloro-o-anisic acid (Dicamba)			Х	Х		Х	Х	Х
Carfentrazone-ethyl					X			

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
3,6-Dichloro-o-anisic acid (Dicamba) - 1918-00-9	1.0

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
3,6-Dichloro-o-anisic acid	1000 ib			X
(Dicamba)				
1918-00-9				

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
3,6-Dichloro-o-anisic acid (Dicamba) 1918-00-9	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

#### **US State Regulations**

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsy Ivania
3,6-Dichloro-o-anisic acid	X	X	X
(Dicamba)			
1918-00-9			

#### International Regulations

Mexico - Grade Moderate risk, Grade 2

#### **16. OTHER INFORMATION**

PBI FP 6531076 PowerZone® Broadleaf Herbicide for Turf

Revision Date 11-Jan-2019

NFPA Health hazards 2 Flammability 1 Instability 0 Physical and Chemical Properties HMIS Health hazards 2 Flammability 1 Physical hazards 0 Personal protection X

#### Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of PBI Gordon Corporation's knowledge, information and belief at the date of this publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process, unless specified in the text. PBI GORDON CORPORATION MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Given the variety of factors that can affect the use and application of this product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Each user is also responsible for evaluating the conditions of use and designing the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. PBI Gordon Corporation assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

**End of Safety Data Sheet**