



## **NOTICE OF LANDSCAPE APPLICATION**

**Date of Application:** April 5, 2023

**Location:** Village Green Park

**Reason for Application:** Fertilize fescue turf to provide uniform growth with extended nitrogen feeding.

**Product Manufacturer Name:** Lesco Professional Turf Fertilizer 28-3-7.

-Active ingredients: N/A

-Precautionary statement: Harmful if inhaled. Eye and skin irritant. Avoid breathing dust. Avoid contact with skin, eyes, or clothing.

**\*See attached label and SDS sheet**

**\*Dates are subject to change due to weather**



# 28-3-7

## LESCO PROFESSIONAL TURF FERTILIZER

For use in Rotary Spreaders Only  
Contains LESCO® Poly Plus® Polymer Coated Urea to provide uniform growth with extended nitrogen feeding.

50 lb COVERS 14,000 sq ft SGN 240

**DIRECTIONS FOR USE:** This LESCO product is a professional quality turf fertilizer for use on all lawn areas. The best results with this product are obtained when it is applied to actively growing grass, and watered into the turf soon after application. Avoid mowing immediately following application to prevent pick-up.

For best results, sweep or blow the fertilizer off walks and painted surfaces following application to avoid discoloration.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn\garden, and sweep any product that lands on the driveway, sidewalk, or street back onto your lawn\garden.

Recommended applications are at the rate of one pound of nitrogen per 1,000 sq ft. Actual rates and timing of applications will vary with weather, soil and turf conditions.

For additional LESCO, Inc. product assistance call 1-800-347-4272.

**COVERAGE:** 50 pounds of LESCO 28-3-7 Fertilizer covers approximately 14,000 sq ft at the application rate of one pound of nitrogen (3.6 pounds of fertilizer) per 1,000 sq ft.

### GUARANTEED ANALYSIS

|   |        |
|---|--------|
| TOTAL NITROGEN (N).....                                   | 28.00% |
| 1.17% Ammoniacal Nitrogen                                 |        |
| 26.83% Urea Nitrogen*                                     |        |
| AVAILABLE PHOSPHATE (P <sub>2</sub> O <sub>5</sub> )..... | 3.00%  |
| SOLUBLE POTASH (K <sub>2</sub> O).....                    | 7.00%  |
| SULFUR (S) Total.....                                     | 2.38%  |
| 2.38% Combined Sulfur (S)                                 |        |
| IRON (Fe) .....   | 3.50%  |
| 0.04% Water Soluble Iron (Fe)                             |        |
| MANGANESE (Mn) .....                                      | 2.50%  |
| 0.50% Water Soluble Manganese (Mn)                        |        |

DERIVED FROM: Polymer Coated Urea, Urea, Diammonium Phosphate, Sulfate of Potash, Iron Sulfate, Manganese Oxide, Manganese Sulfate.

\*10.08% Slowly Available Urea Nitrogen from Polymer Coated Urea.

**ROTARY SPREADER SETTINGS:** Apply LESCO Fertilizers and Combination Products only with a rotary spreader. The following rotary spreader settings are approximate for the application rates of one pound of nitrogen per 1,000 square feet. You may need to adjust the setting depending on walking speed, spreader condition and product. An extended Spreader Setting listing can be found at [www.lesco.com](http://www.lesco.com).

| ROTARY SPREADER            | SETTINGS |
|----------------------------|----------|
| LESCO – All Rotary Models  | #14      |
| PermaGreen                 | 14       |
| Cyclone®/ Spyker® /Z-Spray | 4 1/4    |
| Vicon (LESCO Pendulum)     | 22       |
| Lely®                      | 4 II     |



### WARNING

Harmful if inhaled. Eye and skin irritant. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

### CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc. including but not limited to such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc.. All such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors.

LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assume the risk of any such use.

LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC. REPLACEMENT OF THE PRODUCT, OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL LESCO, Inc., BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES. LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn: RA Dept, 1385 East 36th Street, Cleveland, Ohio 44114-4114, referring to the item number found on this bag.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>.

Poly Plus is comprised of Polymer Coated Urea.

LESCO and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. SCOTTS is a registered trademark of The SCOTT Company. Cyclone and Spyker are registered trademarks of Spyker Spreaders, LLC. Lely is a registered trademark of C Van Der Lely N.V.

N:\Regulatory\WP\Regul Private\MstrLbl\ERIEVIEW ADDRESS\Landscape Style Master Lbls\Fertilizer Labels

Rev. 3/3/16 VT

**510030**

**PP**

**F1560**

**Net Weight 50 lb (22.7 kg)**

Manufactured for: **LESCO, Inc.**

1385 East 36th Street  
Cleveland, OH 44114-4114

# LESCO Granular Fertilizer – All Analyses

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and

Regulations Revision Date: 9/20/2019 Date of issue: 9/20/19.

Version: 1.0

### SECTION 1: IDENTIFICATION

#### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** LESCO Granular Fertilizer – All Analyses

**Other means of identification:** Granular fertilizers including all chemical, partially sulfur coated, 100% polymer or sulfur coated nutrients, with and without micronutrients.

#### 1.2. Intended Use of the Product

**Use of the substance/mixture:** Fertilizer

#### 1.3. Name, Address, and Telephone of the Responsible Party

##### Company

LESCO, Inc.

1385 East 36th St

Cleveland, OH 44114

T 800-347-4272

#### 1.4. Emergency Telephone Number

**Emergency Number** : 1-800-424-9300

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC – Day or Night

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

##### Classification (GHS-US)

Skin Irrit. 2 H315

Eye Irrit. 2A H319

Skin Sens. 1 H317

STOT SE 3 H335

Aquatic Acute 3 H402

Aquatic Chronic 3 H412

#### 2.2. Label Elements

##### GHS-US Labeling

##### Hazard Pictograms (GHS-US)



GHS07

##### Signal Word (GHS-US)

: Warning

##### Hazard Statements (GHS-US)

: H315 - Causes skin irritation  
 H317 - May cause an allergic skin reaction  
 H319 - Causes serious eye irritation  
 H335 - May cause respiratory irritation  
 H402 - Harmful to aquatic life  
 H412 - Harmful to aquatic life with long lasting effects

##### Precautionary Statements (GHS-US)

: P261 - Avoid breathing dust  
 P264 - Wash hands thoroughly after handling  
 P271 - Use only outdoors or in a well-ventilated area  
 P272 - Contaminated work clothing should not be allowed out of the workplace  
 P273 - Avoid release to the environment  
 P280 - Wear eye protection, protective gloves, protective clothing  
 P302+P352 - IF ON SKIN: Wash with plenty of soap and water  
 P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P312 - Call a POISON CENTER/doctor/physician if you feel unwell  
 P321 - Specific treatment (see Section 4)

# LESCO Granular Fertilizer – All Analyses

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P332+P313 - If skin irritation occurs: Get medical advice/attention  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention  
P337+P313 - If eye irritation persists: Get medical advice/attention  
P362 - Take off contaminated clothing and wash before reuse  
P362+P364 - Take off contaminated clothing and wash it before reuse  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed  
P405 - Store locked up  
P501 - Dispose of contents/container according to local, regional, national, and international regulations

### 2.3. Other Hazards

**Other Hazards:** No additional information available

### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

### 3.2. Mixture

| Name  | Product identifier  | %        | Classification (GHS-US)  |
|---|---------------------|----------|--|
| Urea  | (CAS No) 57-13-6    | 0.1 - 98 | Skin Irrit. 2, H315<br>Eye Irrit. 2B, H320   |
| Sulfuric acid, dipotassium salt                   | (CAS No) 7778-80-5  | 0.1 - 95 | Not classified   |
| Diammonium phosphate                              | (CAS No) 7783-28-0  | 0.1 - 95 | Skin Irrit. 2, H315<br>Eye Irrit. 2B, H320<br>STOT SE 3, H335<br>Aquatic Acute 3, H402                                 |
| Potassium chloride                                | (CAS No) 7447-40-7  | 0.1 - 95 | Aquatic Acute 3, H402  |
| Monoammonium phosphate                            | (CAS No) 7722-76-1  | 0.1 - 95 | Skin Irrit. 2, H315<br>Eye Irrit. 2B, H320<br>STOT SE 3, H335  |
| Ammonium sulfate                                  | (CAS No) 7783-20-2  | 0.1 - 95 | Aquatic Acute 2, H401  |
| Limestone   | (CAS No) 1317-65-3  | 0.1 - 95 | Not classified   |
| Sulfur  | (CAS No) 7704-34-9  | 0.1 - 20 | Comb. Dust, H232<br>Flam. Sol. 2, H228<br>Skin Irrit. 2, H315<br>Eye Irrit. 2B, H320<br>Aquatic Acute 3, H402          |
| Iron oxide (Fe <sub>2</sub> O <sub>3</sub> )      | (CAS No) 1309-37-1  | 0.1 - 10 | Not classified   |
| Urea, polymer with formaldehyde                   | (CAS No) 9011-05-6  | 0.1 - 10 | Not classified   |
| Magnesium sulfate                                 | (CAS No) 7487-88-9  | 0.1 - 10 | Skin Sens. 1, H317   |
| Ferrous sulfate                                   | (CAS No) 7720-78-7  | 0.1 - 10 | Acute Tox. 4 (Oral), H302<br>Skin Irrit. 2, H315<br>Eye Irrit. 2A, H319<br>Skin Sens. 1, H317<br>Aquatic Acute 1, H400 |
| Manganese oxide (Mn <sub>3</sub> O <sub>4</sub> ) | (CAS No) 1317-35-7  | 0.1 - 10 | Not classified   |
| Sulfate of Potash-Magnesia                        | (CAS No) 14977-37-8 | 0.1 - 10 | Not classified   |

Full text of H-phrases: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First Aid Measures

**First-aid Measures General:** If medical advice is needed, have product container or label at hand.

**First-aid Measures After Inhalation:** If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. Obtain medical attention if breathing difficulty persists.

# LESCO Granular Fertilizer – All Analyses

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**First-aid Measures After Skin Contact:** Wash skin thoroughly with mild soap and water. Obtain medical attention if irritation develops or persists. Wash contaminated clothing before reuse.

**First-aid Measures After Eye Contact:** Immediately rinse with water for a prolonged period (at least 15 minutes) while holding the eyelids wide open. Obtain medical attention if irritation develops or persists.

**First-aid Measures After Ingestion:** If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms/Injuries After Inhalation:** Overexposure may be irritating to the respiratory system.

**Symptoms/Injuries After Skin Contact:** May cause skin irritation.

**Symptoms/Injuries After Eye Contact:** May cause eye irritation.

**Symptoms/Injuries After Ingestion:** If a large quantity has been ingested : Abdominal pain. Diarrhea. Nausea. Vomiting.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Not considered flammable but will burn at high temperatures. . Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** None known.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Decomposes above 132 °C (270 °F). Under conditions of fire this material may produce: Ammonia. Nitrogen oxides. Biuret. Cyanuric acid.

**Explosion Hazard:** May form explosive compounds if mixed with: Calcium hypochlorite. Sodium hypochlorite. Nitrates. Nitric acid. Perchloric acid. Product itself is not explosive but if dust is generated, dust clouds suspended in air can be explosive.

**Reactivity:** This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).

### 5.3. Advice for Firefighters

**Firefighting Instructions:** Not flammable.

**Protection During Firefighting:** Wear full fire-fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

**Other information:** Do not allow run-off from fire fighting to enter drains or water courses.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Handle in accordance with good industrial hygiene and safety practice. This material becomes slippery when wet.

#### 6.1.1. For Non-emergency Personnel

**Protective Equipment:** Wear suitable protective clothing, gloves and eye/face protection.

**Emergency Procedures:** Collect as any solid. Ventilate area. Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Responders

**Protective Equipment:** Wear suitable protective clothing, gloves and eye/face protection.

**Emergency Procedures:** If possible, stop flow of product. Contain and collect as any solid. Ventilate area. Evacuate unnecessary personnel.

### 6.2. Environmental Precautions

Avoid release to the environment.

### 6.3. Methods and Material for Containment and Cleaning Up

**For Containment:** Contain and collect as any solid. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.

**Methods for Cleaning Up:** Recover the product by vacuuming, shovelling or sweeping. Avoid generation of dust during clean-up of spills. If spilled directly onto the ground, remove sufficient soil to ensure material is fully recovered. Material may be used if uncontaminated.

### 6.4. Reference to Other Sections No additional information available

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Additional Hazards When Processed:** This material becomes slippery when wet.

**Precautions for Safe Handling:** Handle in accordance with good industrial hygiene and safety procedures. Wear recommended personal protective equipment. Avoid creating or spreading dust.

**Hygiene Measures:** Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

# LESCO Granular Fertilizer – All Analyses

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Storage Conditions:** Store tightly closed in a dry, cool and well-ventilated place. Protect from moisture.

**Prohibitions on mixed storage:** Store away from: Ammonium nitrate. Refer to Section 10 on Incompatible Materials.

**Special Rules on Packaging:** Corrosive to copper and its alloys.

### 7.3. Specific End Use(s)

Fertilizer.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

| Limestone (1317-65-3)          |                                      |                        |
|--------------------------------|--------------------------------------|------------------------|
| USA NIOSH                      | NIOSH REL (TWA) (mg/m <sup>3</sup> ) | 5 mg/m <sup>3</sup>    |
| USA OSHA                       | OSHA PEL (TWA) (mg/m <sup>3</sup> )  | 5 mg/m <sup>3</sup>    |
| Iron oxide (Fe2O3) (1309-37-1) |                                      |                        |
| USA ACGIH                      | ACGIH TWA (mg/m <sup>3</sup> )       | 5 mg/m <sup>3</sup>    |
| USA NIOSH                      | NIOSH REL (TWA) (mg/m <sup>3</sup> ) | 5 mg/m <sup>3</sup>    |
| USA IDLH                       | US IDLH (mg/m <sup>3</sup> )         | 2500 mg/m <sup>3</sup> |
| USA OSHA                       | OSHA PEL (TWA) (mg/m <sup>3</sup> )  | 5 mg/m <sup>3</sup>    |

### 8.2. Exposure Controls

**Appropriate Engineering Controls**

: Ensure all national/local regulations are observed.

**Personal Protective Equipment**

: Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection. For particulates and dust: Safety glasses.



**Hand Protection**

: protective gloves.

**Eye Protection**

: Safety glasses.

**Skin and Body Protection**

: Wear suitable protective clothing.

**Respiratory Protection**

: If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

**Environmental Exposure Controls**

: Ensure adequate ventilation, especially in confined areas.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

|  |                                   |
|--|-----------------------------------|
| Physical State                             | : Solid                           |
| Appearance                                 | : Granules. Multi-colored.        |
| Color                                      | : White                           |
| Odor                                       | : Slight. Pungent.                |
| Odor Threshold                             | : No data available               |
| pH   | : No data available               |
| pH solution                                | : 10 %                            |
| Relative Evaporation Rate (butylacetate=1) | : No data available               |
| Melting Point                              | : No data available               |
| Freezing Point                             | : No data available               |
| Boiling Point                              | : No data available               |
| Flash Point                                | : No data available               |
| Auto-ignition Temperature                  | : No data available               |
| Decomposition Temperature                  | : No data available               |
| Flammability (solid, gas)                  | : No data available               |
| Vapor Pressure                             | : No data available               |
| Relative Vapor Density at 20 °C            | : No data available               |
| Relative Density                           | : No data available               |
| Density                                    | : 45 (45 - 65) lb/ft <sup>3</sup> |
| Solubility                                 | : Water: Moderately               |

# LESCO Granular Fertilizer – All Analyses

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Partition coefficient: n-octanol/water : No data available

Viscosity : No data available

9.2. Other Information No additional information available

### SECTION 10: STABILITY AND REACTIVITY

**10.1 Reactivity:** This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).

**10.2 Chemical Stability:** Stable at standard temperature and pressure.

**10.3 Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**10.4 Conditions to Avoid:** Protect from moisture. Keep away from heat.

**10.5 Incompatible Materials:** May form explosive mixture if in contact with strong acid such as nitric or perchloric acids.

Avoid contact with : Strong oxidizers. Strong acids, bases. Nitrates. Hypochlorites. Perchlorates. Chlorides. Corrosive to copper and its alloys.

**10.6 Hazardous Decomposition Products:** Under conditions of fire this material may produce: Nitrogen oxides. Ammonia. Biuret. Carbon oxides (CO, CO<sub>2</sub>). Formaldehyde.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information On Toxicological Effects

Acute Toxicity: Not classified

|   |  |
|---|--|
| <b>Sulfuric acid, dipotassium salt (7778-80-5)</b>          |  |
| LD50 Oral Rat   | 6600 mg/kg                                   |
| ATE (Oral)  | 6,600.00 mg/kg body weight                   |
| <b>Diammonium phosphate (7783-28-0)</b>                     |  |
| LD50 Oral Rat   | 6500 mg/kg                                   |
| LD50 Dermal Rabbit  | > 7950 mg/kg                                 |
| ATE (Oral)  | 6,500.00 mg/kg body weight                   |
| <b>Potassium chloride (7447-40-7)</b>                       |  |
| LD50 Oral Rat   | 2600 mg/kg                                   |
| ATE (Oral)  | 2,600.00 mg/kg body weight                   |
| <b>Monoammonium phosphate (7722-76-1)</b>                   |  |
| LD50 Oral Rat   | 5750 mg/kg                                   |
| LD50 Dermal Rabbit  | > 7940 mg/kg                                 |
| ATE (Oral)  | 5,750.00 mg/kg body weight                   |
| <b>Ammonium sulfate (7783-20-2)</b>                         |  |
| LD50 Oral Rat   | > 2000 mg/kg                                 |
| <b>Sulfur (7704-34-9)</b>                                   |  |
| LD50 Oral Rat   | > 3000 mg/kg                                 |
| LD50 Dermal Rabbit  | > 2000 mg/kg                                 |
| LC50 Inhalation Rat   | > 9.23 mg/l/4h                               |
| <b>Iron oxide (Fe<sub>2</sub>O<sub>3</sub>) (1309-37-1)</b> |  |
| LD50 Oral Rat   | > 10000 mg/kg                                |
| <b>Urea, polymer with formaldehyde (9011-05-6)</b>          |  |
| LC50 Inhalation Rat   | > 167 mg/m <sup>3</sup> (Exposure time: 4 h) |
| <b>Ferrous sulfate (7720-78-7)</b>                          |  |
| LD50 Oral Rat   | 237 mg/kg                                    |
| ATE (Oral)  | 237.00 mg/kg body weight                     |

**Skin Corrosion/Irritation:** Causes skin irritation.

**Serious Eye Damage/Irritation:** Causes serious eye irritation.

**Respiratory or Skin Sensitization:** May cause an allergic skin reaction.

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

|   |   |
|---|---|
| <b>Iron oxide (Fe<sub>2</sub>O<sub>3</sub>) (1309-37-1)</b> |   |
| IARC group  | 3 |

**Reproductive Toxicity:** Not classified

# LESCO Granular Fertilizer – All Analyses

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Specific Target Organ Toxicity (Single Exposure):** May cause respiratory irritation.

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Overexposure may be irritating to the respiratory system.

**Symptoms/Injuries After Skin Contact:** May cause skin irritation.

**Symptoms/Injuries After Eye Contact:** May cause eye irritation.

**Symptoms/Injuries After Ingestion:** If a large quantity has been ingested : Abdominal pain. Diarrhea. Nausea. Vomiting.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

| Sulfuric acid, dipotassium salt (7778-80-5) |   |
|---|---|
| LC50 Fish 1                                 | 653 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)                               |
| EC50 Daphnia 1                              | 890 mg/l (Exposure time: 48 h - Species: Daphnia magna)                                     |
| LC 50 Fish 2                                | 3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])                     |
| Diammonium phosphate (7783-28-0)            |   |
| LC50 Fish 1                                 | 26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)                              |
| LC 50 Fish 2                                | 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])        |
| Potassium chloride (7447-40-7)              |   |
| LC50 Fish 1                                 | 1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])                     |
| EC50 Daphnia 1                              | 825 mg/l (Exposure time: 48 h - Species: Daphnia magna)                                     |
| LC 50 Fish 2                                | 750 - 1020 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])               |
| EC50 Daphnia 2                              | 83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])                             |
| Ammonium sulfate (7783-20-2)                |   |
| LC50 Fish 1                                 | 5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])          |
| EC50 Daphnia 1                              | 14 mg/l (Exposure time: 48 h - Species: Daphnia magna)                                      |
| LC 50 Fish 2                                | 32.2 (32.2 - 41.9) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) |
| Sulfur (7704-34-9)                          |   |
| LC50 Fish 1                                 | 866 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])                        |
| LC 50 Fish 2                                | 14 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])                       |
| Magnesium sulfate (7487-88-9)               |   |
| LC50 Fish 1                                 | 2610 - 3080 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])              |
| EC50 Daphnia 1                              | 266.4 - 417.3 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])                  |
| Ferrous sulfate (7720-78-7)                 |   |
| LC50 Fish 1                                 | 925 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [static])                      |
| EC50 Daphnia 1                              | 152 mg/l (Exposure time: 48 h - Species: Daphnia magna)                                     |
| LC 50 Fish 2                                | 0.56 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])                    |
| EC50 Daphnia 2                              | 6.15 - 9.26 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])                    |
| Urea (57-13-6)                              |   |
| LC50 Fish 1                                 | 16200 - 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata)                     |
| EC50 Daphnia 1                              | 3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])                           |

### 12.2. Persistence and Degradability

| LESCO Granular Fertilizer – All Analyses |   |
|--|---|
| Persistence and Degradability            | May cause long-term adverse effects in the environment. This product is water soluble and eventually biodegrades into elemental nitrogen. Excess nitrogen and nitrates in a body of water will contribute to eutrophication with visible effects such as toxic algae bloom. |

### 12.3. Bioaccumulative Potential

| Diammonium phosphate (7783-28-0)   |                               |
|------------------------------------|-------------------------------|
| BCF fish 1                         | (no bioaccumulation expected) |
| Monoammonium phosphate (7722-76-1) |                               |
| BCF fish 1                         | (no bioaccumulation expected) |



# LESCO Granular Fertilizer – All Analyses

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                                     |                  |
|-------------------------------------|------------------|
| <b>Ammonium sulfate (7783-20-2)</b> |                  |
| <b>Log Pow</b>                      | -5.1 (at 25 °C)  |
| <b>Urea (57-13-6)</b>               |                  |
| <b>BCF fish 1</b>                   | < 10             |
| <b>Log Pow</b>                      | -1.59 (at 25 °C) |

**12.4. Mobility in Soil** No additional information available

### 12.5. Other Adverse Effects

No additional information available

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Sewage Disposal Recommendations:** This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

**Waste Disposal Recommendations:** Place in an appropriate container and dispose of the contaminated material at a licensed site.

**Additional Information:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

## SECTION 14: TRANSPORT INFORMATION

**14.1 In Accordance with DOT** Not regulated for transport

**14.2 In Accordance with IMDG** Not regulated for transport

**14.3 In Accordance with IATA** Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

### 15.1 US Federal Regulations

|   |                                 |
|---|---------------------------------|
| <b>LESCO Granular Fertilizer – All Analyses</b>                           |                                 |
| <b>SARA Section 311/312 Hazard Classes</b>                                | Immediate (acute) health hazard |
| <b>Sulfuric acid, dipotassium salt (7778-80-5)</b>                        |                                 |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |                                 |
| <b>Diammonium phosphate (7783-28-0)</b>                                   |                                 |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |                                 |
| <b>Potassium chloride (7447-40-7)</b>                                     |                                 |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |                                 |
| <b>Monoammonium phosphate (7722-76-1)</b>                                 |                                 |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |                                 |
| <b>Ammonium sulfate (7783-20-2)</b>                                       |                                 |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |                                 |
| <b>Limestone (1317-65-3)</b>  |                                 |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |                                 |
| <b>Sulfur (7704-34-9)</b>   |                                 |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |                                 |
| <b>Iron oxide (Fe<sub>2</sub>O<sub>3</sub>) (1309-37-1)</b>               |                                 |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |                                 |
| <b>Urea, polymer with formaldehyde (9011-05-6)</b>                        |                                 |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |                                 |
| <b>Magnesium sulfate (7487-88-9)</b>                                      |                                 |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |                                 |
| <b>Ferrous sulfate (7720-78-7)</b>  |                                 |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |                                 |
| <b>Manganese oxide (Mn<sub>3</sub>O<sub>4</sub>) (1317-35-7)</b>          |                                 |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |                                 |
| <b>Urea (57-13-6)</b>   |                                 |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |                                 |

### 15.2 US State Regulations

# LESCO Granular Fertilizer – All Analyses

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|  |
|--|
| <b>Ammonium sulfate (7783-20-2)</b>  |
| U.S. - Massachusetts - Right To Know List<br>U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List<br>U.S. - Pennsylvania - RTK (Right to Know) List   |
| <b>Limestone (1317-65-3)</b>   |
| U.S. - Massachusetts - Right To Know List<br>U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) List  |
| <b>Sulfur (7704-34-9)</b>  |
| U.S. - Massachusetts - Right To Know List<br>U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) List  |
| <b>Iron oxide (Fe<sub>2</sub>O<sub>3</sub>) (1309-37-1)</b>  |
| U.S. - Massachusetts - Right To Know List<br>U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) List  |
| <b>Ferrous sulfate (7720-78-7)</b>   |
| U.S. - Massachusetts - Right To Know List<br>U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List<br>U.S. - Pennsylvania - RTK (Right to Know) List |
| <b>Manganese oxide (Mn<sub>3</sub>O<sub>4</sub>) (1317-35-7)</b>   |
| U.S. - Massachusetts - Right To Know List<br>U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) List  |

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision date** : 9/20/2019  
**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

### GHS Full Text Phrases:

|                     |  |
|---------------------|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4                                 |
| Aquatic Acute 1     | Hazardous to the aquatic environment - Acute Hazard Category 1   |
| Aquatic Acute 2     | Hazardous to the aquatic environment - Acute Hazard Category 2   |
| Aquatic Acute 3     | Hazardous to the aquatic environment - Acute Hazard Category 3   |
| Aquatic Chronic 3   | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Comb. Dust          | Combustible Dust   |
| Eye Irrit. 2A       | Serious eye damage/eye irritation Category 2A                    |
| Eye Irrit. 2B       | Serious eye damage/eye irritation Category 2B                    |
| Flam. Sol. 2        | Flammable solids Category 2                                      |
| Skin Irrit. 2       | Skin corrosion/irritation Category 2                             |
| Skin Sens. 1        | Skin sensitization Category 1                                    |
| STOT SE 3           | Specific target organ toxicity (single exposure) Category 3      |
| H228                | Flammable solid  |
| H232                | May form combustible dust concentrations in air                  |
| H302                | Harmful if swallowed   |
| H315                | Causes skin irritation   |
| H317                | May cause an allergic skin reaction                              |
| H319                | Causes serious eye irritation                                    |
| H320                | Causes eye irritation  |
| H335                | May cause respiratory irritation                                 |
| H400                | Very toxic to aquatic life                                       |
| H401                | Toxic to aquatic life  |


# LESCO Granular Fertilizer – All Analyses

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|      |   |
|------|---|
| H402 | Harmful to aquatic life                           |
| H412 | Harmful to aquatic life with long lasting effects |

- NFPA Health Hazard** : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
- NFPA Fire Hazard** : 0 - Materials that will not burn.
- NFPA Reactivity** : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



*IMPORTANT: LESCO urges each customer or recipient of this Safety Data Sheet (SDS) to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and is based on our current knowledge. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. It is the buyer's/user's responsibility to ensure that his or her activities comply with all federal, state, provincial and local laws. The information presented here pertains only to the product as shipped. It is the buyer's/user's duty to determine the conditions necessary for safe use of this product.*

*The SDS serves different purposes than, and DOES NOT REPLACE OR MODIFY, THE EPA APPROVED PRODUCT LABELING (attached to and accompanying the product container). Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling.*

*It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.*

SDS US (GHS HazCom)