

Summerlin Branch 1770 N, Rampart Blvd. Las Vegas NV 89128 Landcare.com License # 0051032


Notice of Turf Fertilizer Application

Date of Application: 6/5-6/23, 2023

Locations:

North of Summerlin Parkway

- Town Center Summerlin Parkway to S. Roundabout
- <u>Hills Center</u> Village Center Circle to Lake Mead
- <u>Village Center Circle (West Loop) N. Roundabout to S.Roundabout</u>
- Trail Center Village Center Circle (West Loop) to Spring Gate
- <u>Trailwood</u> Village Center Circle (West Loop) to Spring Gate
- <u>Village Center Circle (East Loop) N. Roundabout to S.Roundabout</u>
- Hills Dr Village Center Circle (East Loop) to Eagle Hills Sign
- <u>Highpointe Mini Park</u>
- <u>Sunset Crest Mini Park</u>
- <u>Amarate Mini Park</u>
- <u>Willow Bend Min Park</u>
- Panorama Mini Park #1 & # 2
- N. side of Hillpointe in front of Hills Park
- Copper Ridge Mini Park # 1 & # 2
- <u>Hillpointe Mini Park</u>
- <u>Cielo Vista Mini Park across from la Mirada Entryway</u>
- Cielo Vista Mini Park across from Vista del Oro Breezeway
- Plateu Mini Park



Summerlin Branch 1770 N, Rampart Blvd. Las Vegas NV 89128 Landcare.com License # 0051032

South of Summerlin Parkway

- <u>Town Center</u> Summerlin Parkway to Charleston
- E. side of Pavilion Center Charleston to Park Run
- <u>Glenmere Mini Park</u>
- <u>Manorwood Mini Park</u>
- <u>Rosedale Mini Park</u>
- Oak Knoll Mini Park
- <u>Chardonnay Hills/Ridge Mini Park off Greenmoor</u>
- <u>Chardonnay Hills/Ridge Mini Park off LaurelGlen</u>
- Royalwood Mini Park
- Westbrook Mini Park
- <u>Arbor Grove Mini Park</u>
- Oak Hills Breezeway off Banburry Cross
- Oak Hills Mini Park
- Fallbrook Mini Park
- <u>Fallbrook Breezeway</u>
- Brookfield Mini Park
- <u>Arbor View Mini Park</u>
- Sonoma Mini Park
- <u>Napa Hills Mini Park</u>
- Sycamore Ridge Mini Park
- Hghland Hills Mini park #1 & #2



Summerlin Branch 1770 N, Rampart Blvd. Las Vegas NV 89128 Landcare.com License # 0051032

Reason for Application: Target in fertilization in all turf areas

Product Manufacturer Name: Turf Gro 18-5-0 Granular Fertilizer.

*EPA Registration No. 32802-66 *Active Ingredient: Prodiamine *Signal Word: Warning

Product Manufacturer Name: Best EverGreen 18-5-0 Granular Fertilizer.

*EPA Registration No. 70001 - 374 *Active Ingredient: Ammoniacal Nitrogen *Signal Word: Warning

*Precautionary statement: Avoid Breathing Dust

*Attached is the product label and safety Date Sheets





ITEM # 11367 SGN: 240-250

GUARANTEED ANALYSIS

Total Nitrogen (N)	18.00%
0.21% Ammoniacal Nitrogen	
1.04% Other Water Soluble Nitrogen	
14.33% Urea Nitrogen	
2.42% Water Insoluble Nitrogen	
Available Phosphate (P2O5)	<mark>5.00%</mark>
Calcium (Ca)	1.73%
Iron (Fe)	<u>5.00</u> %

Derived from: Biosolids, Monoammonium Phosphate, Urea and Iron Oxide.

Net Weight: 50 lb./22.68 kg

Approximate Spreader Settings TurfGro/Spyker - 5.2 Lesco® - 13 Earthway® - E

These recommended spreader settings are given for a walking speed of approximately 3.5 mph Provided forguldance only.

Exact rates cannot be guaranteed - rates depend on the spreader, operator and environment. Calibration of spreader at each usage is recommended. See Directions for Use for further recommendations

Directions for use

GENERAL Read the label. This product a suitability for use in any given application depends on existing and chemistry turf type and intended use of the turf area. The best results with this product are obtained when it is applied to actively growing grass and watered into the turf soon after application. Avoid moving immediately following application to prevent pick-up. Application with rotary or pendiatum spreaders is recommended for uniform distribution. The use of a drop spreader is not recommended. Consult your spreader manual or spreader manufacturer to determine spreader settings to achieve application rates desired. You may need to adjust the setting depending on the walking speed spreader condition, and product.

Do not apply near water stom drains or draininge dirches. Do net apply if heavy rain is expected. Apply this product only to your lawingarden, and sweep any product that lands in the driveway sidewaik or street back onlo your lawingarden. Walkways should be dry at time of application. This product may stain er leave resulted on driveways walkways streets porches and other non-target area.

For Commercial Use Only

WARRANTY

MAS TO THE EXTENT PERMITTED BY LAW MAS. NEITHER MAKES NOR INTENDS NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR THINESS FOR A PARTICULAR PURPOSE THIS WARRANTY EXTENDS TO AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS WARNING OR CAUTIONS BUYER SEXCLUSIVE REMEDY AND SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS LOSSES DAMAGES OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT WHETHER OR NOT BASED IN CONTRACT NEGLIGENCE. STRICT LIABILITY IN TORT OR OTHERWISE SHALL BE LIMITED AT THE MANUFACTURER'S OPTION TO REPLACEMENT OF OR THE REPAYMENT OF THE PURCHASE PRICEFOR. THE QUANTITY OF RODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OF HANDLING OF THIS PRODUCT. MAS and INE SELLER SENDLING FROM THE USE OF AND AND ADD AND ALL DESCRIPTION OF DRIVEN THE REPAYMENT OF THE PRODUCT WHEN THE MANUFACTURER OF SOME OF OR SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OF HANDLING OF THIS PRODUCT. MAS AND IN EXPLANTING OF SALE AND WARRANTY

Information concerning the raw materials contained in this product can be obtained by writing to MAS PO BOX 732 NEWBERG OR 97132 referring to the item number found on this bag

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aartoo.org/metals.html

Manufactured & Guaranteed by MAS PO BOX 732 NEWBERG OR 97132 Distributed by Horizon Distributors. Inc., 5214 S, 30th St., Phoenix, AZ 85040

The TurfGro brand is owned and Trademarked by Horizon Distributors Inc. | horizononline.com | 1.866.TURFGRO

WARNING - KEEP OUT OF THE REACH OF CHILDREN

Causes Skin Irritation. Causes eye Irritation. Harmful if inhaled. Wear protective gloves and other clothing to prevent exposure Wash thoroughly after handling. Avoid breathing dust Use only outfoors or in a well-ventilated area. Keep container tightly closed. IF ON SKIN: Wash with plenty of water Take off contaminated clothing and wash before reuse. If skin irritation occurs, get medical advice/attention. IF IN EVES: Rinse cautiously, with plenty of water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell. If medical advice is needed, have product container or label at hand. Dispose of contents by utilizing as directed on this label, or call your local solid waste agency for disposal instructions. Dispose of empty container, out of reach of children.





EMERGENCY NUMBER (CHEMTEL): 1-800-255-3924 HORIZON DISTRIBUTORS, INC.

PHOENIX, ARIZONA 85040

Version 1.0 | Effective Date: May 18, 2015

TurfGro Granular Fertilizer – All Analyses

SECTION 1: IDENTIFICATION

1.1. Product Identifier	
Product Form:	Mixture
Product Name:	TurfGro Granular Fertilizer – All Analyses
Other means of identification:	Granular fertilizers including all chemical partially sulfur coated, 100% p o lymer or sulfur coated nutrients, with and without micronutrients.
1.2. Intended Use of the Produ	
Use of the substance/mixture:	Fertilizer for use by Landscape Professionals.
1.3. Name, Address, and Telep	hone of the Responsible Party Company
Horizon Distributors, Inc.	
5214 South 30 th Street	
Phoenix, Arizona 85040	
1.4. Emergency Telephone Nu	mber
Emergency Number:	1-800-255-3924
	For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTEL Day or

Night

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Classification (GHS-US)
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
Skin Sens. 1	H317
STOT SE 3	H335
Aquatic Acute 3 🔷	H402
Aquatic Chronic 3	H412

2.2. Label Elements GHS-US Labeling Hazard Pictograms (GHS-US)



Signal Word (GHS-US)



TurfGro Granular Fertilizer - All Analyses

EMERGENCY NUMBER (CHEMTEL): 1-800-255-3924 HORIZON DISTRIBUTORS, INC.

PHOENIX, ARIZONA 85040

Version 1.0 | Effective Date: May 18, 2015

Hazard Statements (GHS-US)	H315 - Causes skin irritation
	H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H335 - May cause respiratory irritation H402 - Harmful to aquatic life
	H412 - Harmful to aquatic life with long lasting effects
Precautionary Statements (GHS-US)	P261 - Avoid breathing dust
	P264 - Wash hands thoroughly after handling
	P271 - Use only outdoors or in a well-ventilated area
	P272 - Contaminated work clothing should not be allowed out of the workplace
	P273 - Avoid release to the environment
	P280 - Wear eye protection, protective gloves, protective clothing
	P302+P352 - IF ON SKIN: Wash with plenty of soap and water
	P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a POISON CENTER/doctor/physician if you feel unwell
	P321 - Specific treatment (see Section 4)
	P332+P313 - If skin irritation occurs: Get medical advice/attention P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention
	P362 - Take off contaminated clothing and wash before reuse P362+P364 - Take off contaminated clothing and wash it before reuse P403+P233 - Store in a well- ventilated place. Keep container tightly closed P405 - Store locked up
	P501 - Dispose of contents/container according to local, regional, national, and international regulations

2.3. Other Hazards

Other Hazards: No additional information available2.4.Unknown Acute Toxicity (GHS-US)No data available



EMERGENCY NUMBER (CHEMTEL): 1-800-255-3924

HORIZON DISTRIBUTORS, INC.

PHOENIX, ARIZONA 85040

Version 1.0 | Effective Date: May 18, 2015

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

TurfGro Granular Fertilizer - All Analyses

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Urea	(CAS No) 57-13-6	0.1 - 98	Skin Irrit. 2, H315 Eye Irrit. 28, H320
Potassium Sulfate, SOP, Sulfate of Potash	(CAS No) 7778-80-5	0.1 - 95	Not classified
Diammonium phosphate	(CAS No) 7783-28-0	0.1 - 95	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335 Aquatic Acute 3, H402
Potassium chloride	(CAS No) 7447-40-7	0.1 - 95	Aquatic Acute 3, H402
Monoammonium phosphate	(CAS No) 7722-76-1	0.1 - 95	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335
Ammonium sulfate	(CAS No) 7783-20-2	0.1 - 95	Aquatic Acute 2, H401
Limestone	(CAS No) 1317-65-3	0.1-95	Not classified
Sulfur	(CAS No) 7704-34-9	0.1 - 20	Comb. Dust, H232 Flam. Sol. 2, H228 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Aquatic Acute 3, H402
Iron oxide (Fe2O3)	(CAS No) 1309-37-1	0.1 - 10	Not classified
Urea, polymer with formaldehyde	(CAS No) 9011-05-6	0.1 - 10	Not classified
Magnesium sulfate	(CAS No) 7487-88-9	0.1 - 10	Skin Sens. 1, H317
Ferrous sulfate	(CAS No) 7720-78-7	0.1 - 10	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400
Manganese oxide (Mn3O4)	(CAS No) 1317-35-7	0.1 - 10	Not classified
Sulfate of Potash-Magnesia	(CAS No) 14977-37-8	0.1 - 10	Not classified
Ammonium Nitrate	(CAS No) 6484-52-2	0.1 - 50	Ox.Sol.3 H272 Eye Irrit. 2A H319
Digested Sewage Sludge (Class A Biosolids)	(CAS No) NA	0.1 - 50	Not classified

Full text of H-phrases: see section 16



EMERGENCY NUMBER (CHEMTEL): 1-800-255-3924

TurfGro Granular Fertilizer – All Analyses

HORIZON DISTRIBUTORS, INC. PHOENIX, ARIZONA 85040

Version 1.0 | Effective Date: May 18, 2015

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

First-aid Measures General: If medical advice is needed, have product container or label at hand.

First-aid Measures After Inhalation: If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Wash skin thoroughly with mild soap and water. Obtain medical attention if irritation develops or persists. Wash contaminated clothing before reuse.

First-aid Measures After Eye Contact: Immediately rinse with water for a prolonged period (at least 15 minutes) while holding the eyelids wide open. Obtain medical attention if irritation develops or persists.

First-aid Measures After Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries After Inhalation: Overexposure may be irritating to the respiratory system.

Symptoms/Injuries After Skin Contact: May cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause eye irritation.

Symptoms/Injuries After Ingestion: If a large quantity has been ingested: Abdominal pain. Diarrhea. Nausea. Vomiting.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Not considered flammable but will burn at high temperatures. . Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: None known.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Decomposes above 132 °C (270 °F). Under conditions of fire this material may produce: Ammonia. Nitrogen oxides. Biuret. Cyanuric acid.

Explosion Hazard: May form explosive compounds if mixed with: Calcium hypochlorite. Sodium hypochlorite. Nitrates. Nitric acid. Perchloric acid. Product itself is not explosive but if dust is generated, dust clouds suspended in air can be explosive. **Reactivity:** This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).

5.3. Advice for Firefighters

Firefighting Instructions: Not flammable.

Protection During Firefighting: Wear full fire-fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). **Other information:** Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Handle in accordance with good industrial hygiene and safety practice. This material becomes slippery when wet.

6.1.1. For Non-emergency Personnel

Protective Equipment: Wear suitable protective clothing, gloves and eye/face protection.



EMERGENCY NUMBER (CHEMTEL): 1-800-255-3924 HORIZON DISTRIBUTORS, INC. PHOENIX, ARIZONA 85040 Version 1.0 | Effective Date: May 18, 2015

Emergency Procedures: Collect as any solid. Ventilate area. Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment: Wear suitable protective clothing, gloves and eye/face protection.

Emergency Procedures: If possible, stop flow of product. Contain and collect as any solid. Ventilate area. Evacuate unnecessary personnel.

6.2. Environmental Precautions

Avoid release to the environment.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain and collect as any solid. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.

Methods for Cleaning Up: Recover the product by vacuuming, shoveling or sweeping. Avoid generation of dust during cleanup of spills. If spilled directly onto the ground, remove sufficient soil to ensure material is fully recovered. Material may be used if uncontaminated.

6.4. Reference to Other Sections No additional information available.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: This material becomes slippery when wet.

Precautions for Safe Handling: Handle in accordance with good industrial hygiene and safety procedures. Wear recommended personal protective equipment. Avoid creating or spreading dust.

Hygiene Measures: Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store tightly closed in a dry, cool and well-ventilated place. Protect from moisture.

Prohibitions on mixed storage: Store away from: Ammonium nitrate. Refer to Section 10 on Incompatible Materials.

Special Rules on Packaging: Corrosive to copper and its alloys.

7.3. Specific End Use(s)

Fertilizer.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Limestone (1	317-65-3)		
USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m ³	
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³	
Iron oxide (F	e2O3) (1309-37-1)		
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m ³	
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	5 mg/m ³	

TurfGro Granular Fertilizer – All Analyses



1

SAFETY DATA SHEET

EMERGENCY NUMBER (CHEMTEL): 1-800-255-3924

TurfGro Granular Fertilizer – All Analyses

HORIZON DISTRIBUTORS, INC. PHOENIX, ARIZONA 85040

Version 1.0 | Effective Date: May 18, 2015

USA IDLH	US IDLH (mg/m³)	2500 mg/m ³
USA OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m³
Appropriate E		Ensure all national/local regulations are observed. Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection. For particulates and dust: Safety glasses.
Hand Protection Eye Protection Skin and Body Respiratory Pr Environmenta	n Protection otection	Protective gloves. Safety glasses. Wear suitable protective clothing. If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn. Ensure adequate ventilation, especially in confined areas.
CTION 9: PH	HYSICAL AND CHEMICAL	PROPERTIES
	mation on Basic Physical and	
Physical State		: Solid
Appearance		: Granules. Multi-colored.
Color		: White
Odor		: Slight. Pungent.
Odor Threshol	ld	: No data available
рH		: No data available
pH solution		: 10 %
	pration Rate (butylacetate=1)	: No data available
Melting Point		: No data available
Freezing Point		: No data available
Boiling Point		: No data available
Flash Point		: No data available
Auto-ignition	Temperature	: No data available
Decompositio	n Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressur	e	: No data available
Relative Vano	r Density at 20 °C	: No data available



EMERGENCY NUMBER (CHEMTEL): 1-800-255-3924 HORIZON DISTRIBUTORS, INC. PHOENIX, ARIZONA 85040

Version 1.0 | Effective Date: May 18, 2015

Relative Density	: No data available
Density	[:] 45 (45 - 65) lb/ft ³
Solubility	: Water: Moderately
Partition coefficient: n-octanol/water	: No data available
Viscosity	: No data available

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

TurfGro Granular Fertilizer – All Analyses

10.1 Reactivity: This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).

- 10.2 Chemical Stability: Stable at standard temperature and pressure.
- 10.3 Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- 10.4 Conditions to Avoid: Protect from moisture. Keep away from heat.
- **10.5** Incompatible Materials: May form explosive mixture if in contact with strong acid such as nitric or perchloric acids. Avoid contact with : Strong oxidizers. Strong acids, bases. Nitrates. Hypochlorites. Perchlorates. Chlorides. Corrosive to copper and its alloys.
- **10.6 Hazardous Decomposition Products:** Under conditions of fire this material may produce: Nitrogen oxides. Ammonia. Biuret. Carbon oxides (CO, CO2). Formaldehyde.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects Acute Toxicity: Not classified

Potassium Sulfate, SOP, Sulfate of Po	ash (7778-80-5)	
LD50 Oral Rat	6600 mg/kg	
ATE (Oral)	6,600.00 mg/kg body weight	
Diammonium phosphate (7783-28-0)		
LD50 Oral Rat	6500 mg/kg	
LD50 Dermal Rabbit	> 7950 mg/kg	
ATE (Oral)	6,500.00 mg/kg body weight	
Potassium chloride (7447-40-7)		
LD50 Oral Rat	2600 mg/kg	
ATE (Oral)	2,600.00 mg/kg body weight	
Monoammonium phosphate (7722-7	5-1)	
LD50 Oral Rat	5750 mg/kg	
LD50 Dermal Rabbit	> 7940 mg/kg	
ATE (Oral)	5,750.00 mg/kg body weight	

Page 7 of 14



EMERGENCY NUMBER (CHEMTEL): 1-800-255-3924

TurfGro Granular Fertilizer – All Analyses

HORIZON DISTRIBUTORS, INC. PHOENIX, ARIZONA 85040

Version 1.0 | Effective Date: May 18, 2015

Ammonium sulfate (7783-20-2)		
LD50 Oral Rat	> 2000 mg/kg	
Sulfur (7704-34-9)		
LD50 Oral Rat	> 3000 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
LC50 Inhalation Rat	> 9.23 mg/l/4h	
Iron oxide (Fe2O3) (1309-37-1)		
LD50 Oral Rat	> 10000 mg/kg	
Urea, polymer with formaldehyde (9011-05-6)	
LC50 Inhalation Rat	> 167 mg/m ³ (Exposure time: 4 h)	
Ferrous sulfate (7720-78-7)		
LD50 Oral Rat	237 mg/kg	
ATE (Oral)	237.00 mg/kg body weight	
Ammonium nitrate (6484-52-2)		
LD50 Oral Rat	2217mg/kg	
LC50 Inhalation Rat	>88.8mg/l/4h	

Skin Corrosion/Irritation: Causes skin irritation.

Serious Eye Damage/Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified.

Carcinogenicity: Not classified.

Iron oxide (Fe2O3) (1309-37-1)			
IRAC group	3		

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (Single Exposure): May cause respiratory irritation.

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Overexposure may be irritating to the respiratory system.

Symptoms/Injuries After Skin Contact: May cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause eye irritation.

Symptoms/injuries After Ingestion: If a large quantity has been ingested : Abdominal pain. Diarrhea. Nausea. Vomiting.



EMERGENCY NUMBER (CHEMTEL): 1-800-255-3924 HORIZON DISTRIBUTORS, INC. PHOENIX, ARIZONA 85040

Version 1.0 | Effective Date: May 18, 2015

SECTION 12: ECOLOGICAL INFORMATION

TurfGro Granular Fertilizer - All Analyses

12.1. Toxicity

LC50 Fish 1	653 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
EC50 Daphnia 1	890 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	
Diammonium phosphate (3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
LC50 Fish 1	26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LC 50 Fish 2	
Potassium chloride (7447-4	24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
LC50 Fish 1	1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	
LC 50 Fish 2	825 mg/l (Exposure time: 48 h - Species: Daphnia magna)
	750 - 1020 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Ammonium sulfate (7783-2	20-2)
LC50 Fish 1	5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	14 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	32.2 (32.2 - 41.9) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]
Sulfur (7704-34-9)	
LC50 Fish 1	866 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
LC 50 Fish 2	14 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
Magnesium sulfate (7487-8	
LC50 Fish 1	2610 - 3080 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	266.4 - 417.3 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Ferrous sulfate (7720-78-7)	
L C50 F ish 1	925 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [static])
EC50 Daphnia 1	152 mg/l (Exposure time: 48 h - Species: Daphnia magna)
-C 50 Fish 2 0.56 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])	



EMERGENCY NUMBER (CHEMTEL): 1-800-255-3924

TurfGro Granular Fertilizer - All Analyses

HORIZON DISTRIBUTORS, INC. PHOENIX, ARIZONA 85040

Version 1.0 | Effective Date: May 18, 2015

EC50 Daphnia 2	6.15 - 9.26 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Urea (57-13-6)	
LC50 Fish 1	16200 - 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata)
EC50 Daphnia 1	3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

12.2. Persistence and Degradability

TurfGro Granular Fertilizer – All Analyses			
Persistence and Degradability	May cause long-term adverse effects in the environment. This product is water soluble and eventually biodegrades into elemental nitrogen. Exess nitrogen and nitrates in a body of water will contribute to eutrophication with visible effects such as toxic algae bloom.		

12.3. Bioaccumulative Potential

Diammonium phosphat	e (7783-28-0)		
BCF fish 1	(no bio	(no bioaccumulation expected)	
Monoammonium phos	ohate (7722-76-1)		
BCF fish 1	(no bio	(no bioaccumulation expected)	
Ammonium sulfate (778	3-20-2)		
Log Pow		-5.1 (at 25 °C)	
Urea (57-13-6)			
BCF fish 1		< 10	
Log Pow		-1.59 (at 25 °C)	
Ammonium nitrate (648	34-52-2)		
BCF fish 1		(no bioaccumulation expected)	
Log Pow		-3.1 (at 25 °C)	

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

No additional information available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Sewage Disposal Recommendations: This material is hazardous to the aquatic environment. Keep out of sewers and waterways. Waste Disposal Recommendations: Place in an appropriate container and dispose of the contaminated material at a licensed site.

Additional Information: Dispose of waste material in accordance with all local, regional, national, and international regulations.



EMERGENCY NUMBER (CHEMTEL): 1-800-255-3924 HORIZON DISTRIBUTORS, INC. PHOENIX, ARIZONA 85040

TurfGro Granular Fertilizer – All Analyses

Version 1.0 | Effective Date: May 18, 2015

SECTION 14: TRANSPORT INFORMATION

14.1 in Accordance with DOT Not regulated for transport14.2 in Accordance with IMDG Not regulated for transport14.3 in Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

TurfGro Granular Fertilizer – All Analyses	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
Potassium Sulfate, SOP, Sulfate of Potash (7778-80-5)	
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory
Diammonium phosphate (7783-28-0)	
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory
Potassium chloride (7447-40-7)	
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory
Monoammonium phosphate (7722-76-1)	
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory
Ammonium sulfate (7783-20-2)	
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory
Limestone (1317-65-3)	
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory
Sulfur (7704-34-9)	
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory
Iron oxide (Fe2O3) (1309-37-1)	
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory
Urea, polymer with formaldehyde (9011-05-6)	
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory
Magnesium sulfate (7487-88-9)	
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory
Ferrous sulfate (7720-78-7)	
Listed on the United States TSCA (Toxic Substances Contro	ol Act) inventory



EMERGENCY NUMBER (CHEMTEL): 1-800-255-3924

TurfGro Granular Fertilizer - All Analyses

HORIZON DISTRIBUTORS, INC.

PHOENIX, ARIZONA 85040

Version 1.0 | Effective Date: May 18, 2015

Manganese oxide (Mn3O4) (1317-35-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Urea (57-13-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Ammonium nitrate (6484-52-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2 US State Regulations

Ammonium sulfate (7783-20-2)	
U.S Massachusetts - Right To Know List	
U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard Lis	t
U.S Pennsylvania - RTK (Right to Know) List	
Limestone (1317-65-3)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right to Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right to Know) List	
Sulfur (7704-34-9)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right to Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right to Know) List	
Iron oxide (Fe2O3) (1309-37-1)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right to Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right to Know) List	
Ferrous sulfate (7720-78-7)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right to Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List	t
U.S Pennsylvania - RTK (Right to Know) List	
Manganese oxide (Mn3O4) (1317-35-7)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right to Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right to Know) List	



EMERGENCY NUMBER (CHEMTEL): 1-800-255-3924

TurfGro Granular Fertilizer - All Analyses

HORIZON DISTRIBUTORS, INC. PHOENIX, ARIZONA 85040

Version 1.0 | Effective Date: May 18, 2015

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date: Other Information:

GHS Full Text Phrases:

05/13/2015

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1			
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2			
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3			
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3			
Comb. Dust	Combustible Dust			
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A			
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B			
Flam. Sol. 2	Flammable solids Category 2			
Ox. Sol. 3	Oxidizing solids Category 3			
Skin Irrit. 2	Skin corrosion/irritation Category 2			
Skin Sens. 1	Skin sensitization Category 1			
STOT SE 3	Specific target organ toxicity (single exposure) Category 3			
H228	Flammable solid			
H232	May form combustible dust concentrations in air			
H302	Harmful if swallowed			
H315	Causes skin irritation			
H317	May cause an allergic skin reaction			
H319	Causes serious eye irritation			
H320	Causes eye irritation			
H335	May cause respiratory irritation			
H400	Very toxic to aquatic life			
H401	Toxic to aquatic life			
H402	Harmful to aquatic life			
H412	Harmful to aquatic life with long lasting effects			



EMERGENCY NUMBER (CHEMTEL): 1-800-255-3924


TurfGro Granular Fertilizer - All Analyses

HORIZON DISTRIBUTORS, INC.

PHOENIX, ARIZONA 85040

Version 1.0 | Effective Date: May 18, 2015

NFPA Fire Hazard	0	Materials that will not burn.
NFPA Reactivity	0	Normally stable, even under fire exposure conditions, and are not reactive with water.
NFPA Health Hazard	2	Intense or continued exposure could cause temporary incapacitation or possible residual injury
		unless prompt medical attention is given.



IMPORTANT: Although reasonable care has been taken in the preparation of this document, the information contained herein is based on available data. No warranty is expressed or implied regarding the accuracy or completeness of this information or data, or the results to be obtained from the use thereof; and you should make your own investigation to determine safety for the use you contemplate. The information and data given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. This information is related to the material designated and may not be valid for such material used in combination or data, including without limitation, for the user's intended purposes or the consequences thereof, and makes no warranty of merchantability of fitness for a particular use, nor is there any other express or implied warranty except as may be specifically provided otherwise on the product, if any. HDI assumes no responsibility or liability for any incidental or consequential damages whether related to personal injury or property damage, to vendees, users or third parties, caused by the material and by using the product you specifically agree that HDI's responsibility is limited to replacement of, or repayment of, the purchase price for the material(s). HDI is not the manufacturer of the product. The manufacturer may be contacted at:

MAS | P.O. Box 732 | Newberg, OR 97132



Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 09/03/2021 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: Best EverGreen 18-5-0 + %5 Iron
Product code	: M15005
1.2. Recommended use and restriction	IS ON USE
1.3. Supplier	
JR Simplot Company	
P.O. Box 70013	
Boise, ID 83707	
T 1-208-336-2110	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC 1-800-424-9300
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or	
GHS-US classification	
Serious eye damage/eye irritation, Category 2	
Specific target organ toxicity — Single exposi-	
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Warning
Hazard statements (GHS US)	: H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.
Precautionary statements (GHS US)	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a poison center/doctor/ if you feel unwell P337+P313 - If eye irritation persists: Get medical attention P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents/container toin accordance with local/regional/national regulations
2.3. Other hazards which do not result	in classification
No additional information available	
2.4. Unknown acute toxicity (GHS US)	
Not applicable	
SECTION 3: Composition/information	on on ingrediente
	on ingreatents
3.1. Substances	

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
ammonium sulfate (7783-20-2)	(CAS-No.) 7783-20-2		Not classified
Monoammonium Phosphate	(CAS-№) 7722-76-1		Eye Irrit. 28, H320 STOT SE 3, H335
Iron Oxysulfate			Eye Irrit. 2B, H320
Sand			STOT SE 3, H335
Wax	(CAS-No) 64771-72-8		Not classified

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	 Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water.
First-aid measures after eye contact	 Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effec	ts (acute and delayed)
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Immediate medical attention and spe	cial treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	The second s
5.1. Suitable (and unsuitable) extinguish	ing media
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the ch	emical
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Special protective equipment and pr	ecautions for fire-fighters
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTI	ON 6: Accidental release mea	sures
6.1.		uipment and emergency procedures
6.1.1. Emerge	For non-emergency personnel ency procedures	: Ventilate spillage area. Evacuate unnecessary personnel.
6.1.2.	For emergency responders	
Protect	ive equipment	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emerge	ency procedures	: Ventilate area.
6.2.	Environmental precautions	

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for contain	ment and cleaning up
Methods for cleaning up	 Mechanically recover the product. On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials.
Other information	: Dispose of materials or solid residues at an authorized site.
.4. Reference to other sections	
See Heading 8. Exposure controls and person	nal protection. For further information refer to section 13

SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, Including any incompatibilities Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. Store in a well-ventilated place. Keep cool. Incompatible products : Strong bases. Strong acids. Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Best EverGreen 18-5-0 + %5 Iron	
No additional information available	
Monoammonium Phosphate (7722-76-1)	
No additional information available	
Iron Oxysulfate	
No additional information available	
Sand	
No additional information available	
Wax (64771-72-8)	
No additional information available	
ammonium sulfate (7783-20-2) (7783-20-2)	
No additional information available	

8.2. Appropriate engineering controls		
Appropriate engineering controls Environmental exposure controls	 Ensure good ventilation of the work station. Avoid release to the environment. 	
8.3. Individual protection measures/Perso	nal protective equipment	
Personal protective equipment:		
Avoid all unnecessary exposure.		
Hand protection:		
Wear protective gloves.		
Eye protection:		

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

 Information on basic physical and ch 	nemical properties	
Physical state	: Solid	
Appearance	: Dark gray colored granules.	
Colour	: Dark Gray	
Odour	: No data available on odour	
Odour threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: Not applicable	
Boiling point	: No data available	
Flash point	: Non-flammable	
Relative evaporation rate (butylacetate=1)	: No data available	
Flammability (solid, gas)	: Non flammable.	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: Not applicable	
Solubility	: No data available	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: Not applicable	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive limits	: Not applicable	
Explosive properties	: No data available	
Oxidising properties	: No data available	
2. Other information		
o additional information available		
ECTION 10: Stability and reactivity	and the second and a second and the	
0.1. Reactivity		
table.		
0.2. Chemical stability		

10.3.	Possibility of hazardous reactions		
Not esta	ablished.		
10.4.	Conditions to avoid		
Direct s	unlight. Extremely high or low temperatures.		
10.5.	Incompatible materials		

Oxidizing agent. Prolonged contact may cause oxidation of unprotected metals. Strong acids. Strong bases.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

The eventual - 147-oint -

ECTION 11: Toxicological informat	ion
1.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	: Not classified
Monoammonium Phosphate (7722-76-1)	
LD50 oral rat	5750 mg/kg (Rat)
LD50 dermal rabbit	> 7940 mg/kg (Rabbit)
ammonium sulfate (7783-20-2) (7783-20-2)	
LD50 oral rat	2840 mg/kg (Rat)
LD50 dermal rat	> 2000 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
- ·	: May cause respiratory irritation.
STOT-single exposure Monoammonium Phosphate (7722-76-1) STOT-single exposure	May cause respiratory irritation.
Monoammonium Phosphate (7722-76-1) STOT-single exposure	
Monoammonium Phosphate (7722-76-1)	
Monoammonium Phosphate (7722-76-1) STOT-single exposure Sand STOT-single exposure	May cause respiratory irritation.
Monoammonium Phosphate (7722-76-1) STOT-single exposure Sand STOT-single exposure STOT-repeated exposure	May cause respiratory irritation. May cause respiratory irritation. Not classified
Monoammonium Phosphate (7722-76-1) STOT-single exposure Sand STOT-single exposure STOT-repeated exposure Aspiration hazard	May cause respiratory irritation. May cause respiratory irritation. Not classified Not classified
Monoammonium Phosphate (7722-76-1) STOT-single exposure Sand STOT-single exposure STOT-repeated exposure Aspiration hazard /iscosity, kinematic	May cause respiratory irritation. May cause respiratory irritation. Not classified Not classified Not data available
STOT-single exposure Sand	May cause respiratory irritation. May cause respiratory irritation. Not classified Not classified
Monoammonium Phosphate (7722-76-1) STOT-single exposure Sand STOT-single exposure STOT-repeated exposure STOT-repeated exposure Aspiration hazard Viscosity, kinematic Potential adverse human health effects and symptoms	May cause respiratory irritation. May cause respiratory irritation. Not classified Not classified Not data available
Monoammonium Phosphate (7722-76-1) STOT-single exposure Sand STOT-single exposure STOT-repeated exposure Aspiration hazard /iscosity, kinematic Potential adverse human health effects and symptoms Symptoms/effects	May cause respiratory irritation. May cause respiratory irritation. Not classified Not classified Not data available Based on available data, the classification criteria are not met.
Monoammonium Phosphate (7722-76-1) STOT-single exposure Sand STOT-single exposure STOT-repeated exposure Aspiration hazard /iscosity, kinematic Potential adverse human health effects and symptoms Symptoms/effects ECTION 12: Ecological information	May cause respiratory irritation. May cause respiratory irritation. Not classified Not classified Not data available Based on available data, the classification criteria are not met.
Monoammonium Phosphate (7722-76-1) STOT-single exposure Sand STOT-single exposure STOT-repeated exposure Aspiration hazard Viscosity, kinematic Potential adverse human health effects and symptoms Symptoms/effects ECTION 12: Ecological information 1. Toxicity	May cause respiratory irritation. May cause respiratory irritation. Not classified Not classified Not data available Based on available data, the classification criteria are not met.
Monoammonium Phosphate (7722-76-1) STOT-single exposure Sand STOT-single exposure STOT-repeated exposure Aspiration hazard Viscosity, kinematic Potential adverse human health effects and symptoms Symptoms/effects ECTION 12: Ecological information	May cause respiratory irritation. May cause respiratory irritation. Not classified Not classified Not classified Based on available Based on available data, the classification criteria are not met. Not expected to present a significant hazard under anticipated conditions of normal use. The product is not considered harmful to aquatic organisms nor to cause long-term adverse

ammonium sulfate (7783-20-2)	(7783-20-2)	
LC50 fish 1	126 mg/l (96 h; Poecilia reticulata)	
EC50 Daphnia 1	202 mg/l (96 h; Daphnia magna)	
LC50 fish 2	250 – 480 mg/l (96 h; Brachydanio rerio)	
EC50 Daphnia 2	433 mg/l (50 h; Daphnia magna)	
TLM fish 1	1290 ppm (96 h; Gambusia affinis)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Best EverGreen 18-5-0 + %5 Iron	
Persistence and degradability	Not established.
Monoammonium Phosphate (7722-76-1)	
Persistence and degradability	Biodegradability in water: no data available. Not established.
Iron Oxysulfate	
Persistence and degradability	Not established.
Sand	
Persistence and degradability	Not established.
Wax (64771-72-8)	
Persistence and degradability	Not established.
ammonium sulfate (7783-20-2) (7783-20-2)	
Persistence and degradability	Biodegradability in water: no data available. Not established.
3. Bioaccumulative potential	
Best EverGreen 18-5-0 + %5 Iron	
Bioaccumulative potential	Not established.
Monoammonium Phosphate (7722-76-1)	
Bioaccumulative potential	Not bioaccumulative. Not established.
Iron Oxysulfate	
Bioaccumulative potential	Not established.
Sand	
Bioaccumulative potential	Not established.
Wax (64771-72-8)	
Bioaccumulative potential	Not established.
ammonium sulfate (7783-20-2) (7783-20-2)	
Partition coefficient n-octanol/water (Log Pow)	-5.1
Bioaccumulative potential	Bioaccumulation: not applicable, Not established.

No additional information available

12.5. Other adverse effects

Other information

: Avoid unintentional release to the environment.

SECTION 13: Disposal consideration 13.1. Disposal methods	
Waste treatment methods Product/Packaging disposal recommendations Ecology - waste materials	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Avoid unintentional release to the environment.
SECTION 14: Transport information	

Department of Transportation (DOT)

In accordance with DOT

Other information

: No supplementary information available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transportation of Dangerous Goods

Transport by sea

Air transport

nces Control Act) inventory	
d from listing, on the United States Environmenta	al Protection Agency Toxic
CAS-No.	%
CAS-No.	%
List)	
ces List)/NDSL (Non-Domestic Substances List)	
List)	
List)	
	CAS-No. CAS-No. CAS-No. List) List) List) List)

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive ham

Component	State or local regulations
ammonium sulfate (7783-20-2)(7783-20-2)	U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date	: 09/03/2021
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.
Full Analysis (1) shades	

Full text of H-statements:

H319	Causes serious eye irritation.	
H320	Causes eye irritation	
H335	May cause respiratory irritation.	

SDS US (GHS HazCom 2012)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Disclaimer: This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE. OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION HEREIN PROVIDED. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.